CUMULATIVE AUTHOR INDEX
Medical Entomology
Volume 41, 2004

A

Aggarwal, K. K., 691
Ahmad, A., 691
Ahn, Y.-J., 699
Ahumada, J. A., 1157
Akratanakul, P., 657, 1055
Alsemgeest, D., 1143
Antonio-Nkondjio, C., 561, 901
Araki, A. S., 906
Arlian, L. G., 69, 74
Arunachalam, N., 442, 456
Astete, H., 502, 634, 1123
Awono-Ambene, H. P., 561
Awono-Ambene, P., 901

B

Backeljau, T., 366
Baimai, V., 287
Bangs, M. J., 1055
Barker, C. M., 965
Barker, I. K., 622
Barker, R. W., 170
Barnard, D. R., 726
Basáñez, M.-G., 83
Batawi, K., 814
Bates, P. A., 569
Baudon, D., 914
Beauchamp, G., 622
Beebe, N. W., 5, 414
Bejarano, E. E., 833
Bellido, A., 826
Benedict, M. Q., 607
Benito, A., 158
Benjamin, M. A., 922
Berzosa, P. J., 158
Bissan, Y., 83
Björkman, A., 746
Blair, P., 1123
Boatin, B. A., 83
Boccolini, D., 582
Bochkov, A. V., 308
Borsboom, G. J. J. M., 83
Bosseno, M.-F., 484, 1015
Bouyer, D. H., 533, 1073
Brauner, P., 803
Brazil, B. G., 819
Brazil, R. P., 1021
Brei, B., 807
Brenière, S. F., 484, 1015
Brewster, C. C., 785
Brochero, H., 158
Brownstein, J. S., 842
Burattini, M. N., 997
Burkett, D. A., 151
Burkot, T. R., 800
Bush, P. J., 1179
Bustamante, D. M., 296

C

Calampa, C., 349
Calderón, C. I., 882
Calimlim, P. S., 731
Camargo, E. P., 533, 1073
Camargo, L. M. A., 533, 1073
Campbell, C. L., 340
Campbell, S. R., 1104
Cano, J., 158
Canter, L., 774
Carbajal, F., 349
Cárdenas-Contreras, R., 484
Cardona, G., 1068
Carnevale, P., 914
Carroll, J. F., 249
Casimiro, S., 130
Ceballos, L. A., 614
Chadee, D. D., 1027
Chaiwong, P., 672
Chan, A. S. T., 209
Chanaimongkol, S., 151
Chapilliquen, F., 502
Chareonviriyaphap, T., 657, 1055
Charron, D., 622
Chávez, J. J., 882
Chen, A. C., 259
Chen, N., 115
Chen, W.-J., 677
Chen, W.-Y., 47
Cheng, Q., 115
Chiarini-Garcia, H., 552
Chiles, R., 978
Chiles, R. E., 462, 539, 965, 982
Choochote, W., 569, 672
Clark, J. M., 231, 699, 807
Clark, S., 978
Cohuet, A., 287, 901
Cole, C., 1043
Coleman, R. E., 151, 201, 209, 349
Cooksey, L. M., 40
Cooper, R. D., 5, 115, 414
Coosemans, M., 366
Corbel, V., 712
Cuartas, E., 1010
Cupp, E. W., 408, 495, 946
Currie, B. J., 74
Curtis, C. F., 930

D

Davé, K., 209
Davey, R. B., 193, 259, 402, 524, 1034
Day, J. F., 215
De Almeida, D. N., 819
Dean, J. L., 894
Debboun, M., 249, 418, 430
De Deken, R., 814
Delécluse, A., 435
Denatale, C., 1043
Depaquit, J., 813
Deparis, X., 914
Deunff, J., 826
de Vlas, S. J., 83
Dias, E. S., 187
Dias, F., 746
Dias, R. A., 324
Diaz, G., 502
Di Luca, M., 582
Dobson, S. L., 894
Dolan, M. C., 800, 1043
Dolo, G., 333, 375
Dorn, P. L., 882
Dos Santos, R. L. C., 997
Duchon, S., 712
Dujardin, J. P., 296, 643
Duque, P., 833
Durden, L. A., 226
Dusfour, I., 287

E

Edillo, F. E., 333
Edman, J. D., 231, 807
Edú, M., 158
Edwards, G. B., 593
Effler, P. V., 731
Eisen, L., 768
Eisen, R. J., 768
Endy, T. P., 973
Enger, K. S., 760
Engman, S., 1111
Eraso, E., 1068
Escobedo-Vargas, K. S., 489
Estes, S. A., 74
Ewing, S. A., 170

F

Fang, Y., 462, 539, 965, 978, 982
Federici, B. A., 423, 935
Fell, R. D., 785
Fernandes, F. F., 545, 552
Fernandez, R., 349, 489
Fernández, Z., 961
Fernandó, K., 226
Finot, L., 914
Fish, D., 842
Fitzpatrick, J. W., 215
Flores-Mendoza, C., 489
Focks, D., 1123

CUMULATIVE AUTHOR INDEX
Medical Entomology
Volume 41, 2004

A

Aggarwal, K. K., 691
Ahmad, A., 691
Ahn, Y.-J., 699
Ahumada, J. A., 1157
Akratanakul, P., 657, 1055
Alsemgeest, D., 1143
Antonio-Nkondjio, C., 561, 901
Araki, A. S., 906
Arlian, L. G., 69, 74
Arunachalam, N., 442, 456
Astete, H., 502, 634, 1123
Awono-Ambene, H. P., 561
Awono-Ambene, P., 901

B

Backeljau, T., 366
Baimai, V., 287
Bangs, M. J., 1055
Barker, C. M., 965
Barker, I. K., 622
Barker, R. W., 170
Barnard, D. R., 726
Basáñez, M.-G., 83
Batawi, K., 814
Bates, P. A., 569
Baudon, D., 914
Beauchamp, G., 622
Beebe, N. W., 5, 414
Bejarano, E. E., 833
Bellido, A., 826
Benedict, M. Q., 607
Benito, A., 158
Benjamin, M. A., 922
Berzosa, P. J., 158
Bissan, Y., 83
Björkman, A., 746
Blair, P., 1123
Boatin, B. A., 83
Boccolini, D., 582
Bochkov, A. V., 308
Borsboom, G. J. J. M., 83
Bosseno, M.-F., 484, 1015
Bouyer, D. H., 533, 1073
Brauner, P., 803
Brazil, B. G., 819
Brazil, R. P., 1021
Brei, B., 807
Brenière, S. F., 484, 1015
Brewster, C. C., 785
Brochero, H., 158
Brownstein, J. S., 842
Burattini, M. N., 997
Burkett, D. A., 151
Burkot, T. R., 800
Bush, P. J., 1179
Bustamante, D. M., 296

C

Calampa, C., 349
Calderón, C. I., 882
Calimlim, P. S., 731
Camargo, E. P., 533, 1073
Camargo, L. M. A., 533, 1073
Campbell, C. L., 340
Campbell, S. R., 1104
Cano, J., 158
Canter, L., 774
Carbajal, F., 349
Cárdenas-Contreras, R., 484
Cardona, G., 1068
Carnevale, P., 914
Carroll, J. F., 249
Casimiro, S., 130
Ceballos, L. A., 614
Chadee, D. D., 1027
Chaiwong, P., 672
Chan, A. S. T., 209
Chanaimongkol, S., 151
Chapilliquen, F., 502
Chareonviriyaphap, T., 657, 1055
Charron, D., 622
Chávez, J. J., 882
Chen, A. C., 259
Chen, N., 115
Chen, W.-J., 677
Chen, W.-Y., 47
Cheng, Q., 115
Chiarini-Garcia, H., 552
Chiles, R., 978
Chiles, R. E., 462, 539, 965, 982
Choochote, W., 569, 672
Clark, J. M., 231, 699, 807
Clark, S., 978
Cohuet, A., 287, 901
Cole, C., 1043
Coleman, R. E., 151, 201, 209, 349
Cooksey, L. M., 40
Cooper, R. D., 5, 115, 414
Coosemans, M., 366
Corbel, V., 712
Cuartas, E., 1010
Cupp, E. W., 408, 495, 946
Currie, B. J., 74
Curtis, C. F., 930

D

Davé, K., 209
Davey, R. B., 193, 259, 402, 524, 1034
Day, J. F., 215
De Almeida, D. N., 819
Dean, J. L., 894
Debboun, M., 249, 418, 430
De Deken, R., 814
Delécluse, A., 435
Denatale, C., 1043
Depaquit, J., 813
Deparis, X., 914
Deunff, J., 826
de Vlas, S. J., 83
Dias, E. S., 187
Dias, F., 746
Dias, R. A., 324
Diaz, G., 502
Di Luca, M., 582
Dobson, S. L., 894
Dolan, M. C., 800, 1043
Dolo, G., 333, 375
Dorn, P. L., 882
Dos Santos, R. L. C., 997
Duchon, S., 712
Dujardin, J. P., 296, 643
Duque, P., 833
Durden, L. A., 226
Dusfour, I., 287

E

Edillo, F. E., 333
Edman, J. D., 231, 807
Edú, M., 158
Edwards, G. B., 593
Effler, P. V., 731
Eisen, L., 768
Eisen, R. J., 768
Endy, T. P., 973
Enger, K. S., 760
Engman, S., 1111
Eraso, E., 1068
Escobedo-Vargas, K. S., 489
Estes, S. A., 74
Ewing, S. A., 170

F

Fang, Y., 462, 539, 965, 978, 982
Federici, B. A., 423, 935
Fell, R. D., 785
Fernandes, F. F., 545, 552
Fernandez, R., 349, 489
Fernández, Z., 961
Fernandó, K., 226
Finot, L., 914
Fish, D., 842
Fitzpatrick, J. W., 215
Flores-Mendoza, C., 489
Focks, D., 1123

Fontenille, D., 561, 901
Forattini, O. P., 961, 997
Fortes-Dias, C. L., 187
Frances, S. P., 115, 414
Frank, C., 511
Frere, B., 914
Fritz, G. N., 1111
Funada, H., 796
Furui, S., 107
Furuya, Y., 107

G
Gajanana, A., 442, 456
Gallili, N., 803
Gao, Q., 5
Gardulf, A., 1064
Garvin, M. C., 215
Gastélum, E. M., 1015
Geevarghese, G., 994
Gennari, S. M., 324
George, J. E., 193, 402, 524
Gerade, B., 807
Gerade, B. B., 231
Gern, L., 162, 361
Getis, A., 502, 1123
Gilchrist, M. J. R., 1179
Gill, J. S., 1179
Gillain, G., 814
Gillet, P., 914
Ginsberg, H. S., 1104
Githeko, A., 810, 1001
Glass, E. V., 529
Goddard, L., 539
Gore, J. C., 953
Graham, D. H., 1027
Grant, H., 803
Grassberger, M., 511
Gray, E. W., 78
Gray, K., 502, 1123
Grayson, M. A., 1090
Green, E., 978
Green, E. N., 462, 539
Guerra-Neira, A., 158
Guhl, F., 296
Guisantes, J. A., 1068
Guo, A., 408, 946
Gürtler, R. E., 614, 643
Gustafson, R., 1064
Gutierrez, J. A., 1034
Guzmán-Cornejo, C., 587

H
Habbema, J. D. F., 83
Hamilton, J. G. C., 1021
Hamon, N., 1043
Harbach, R. E., 287
Harrington, L. C., 231
Haselton, A. T., 684
Hassan, H. K., 495
Haumaier, W., 774
Hilburn, L. R., 40
Hill, G. E., 495
Hiriyan, J., 442, 456
Hoffmann, P. R., 731
Holman, M. S., 779
Hornbostel, V. L., 922
Hougard, J.-M., 712, 914
Howard, J. J., 1090
Howerth, E. W., 78
Huang, C.-G., 677
Huber, K., 664
Hughes, S., 1034
Hung, T.-H., 47
Huntamai, S., 657

I
Imrie, A., 731

J
Jaenson, T. G. T., 321, 746
Jaichapor, B., 151
James, L. F., 593
Jaramillo, N., 1010
Jariyapan, N., 569
Jiannino, J. A., 935
Jitpakdi, A., 569, 672
Jones, J. W., 231, 349
Jouda, F., 162
Junkum, A., 672

K
Kamimura, K., 796
Kaneta, H., 269
Kanojia, P. C., 994
Kasten, F. L., 1015
Katholi, C. R., 495
Kawada, H., 873
Kay, B. H., 133, 1116, 1143
Keesing, F., 774
Kelly-Hope, L. A., 133, 1116
Kemp, D. H., 1034
Kemp, D. J., 74
Kemper, C. J., 1034
Kengne, P., 561
Keokenchan, K., 366
Keyhani, N. O., 705
Khanuja, S. P. S., 691
Khodjaev, S., 973
Khongtak, P., 151
Kiattibut, C., 209
Kim, W., 447
Kirkland, B. H., 705
Kitron, U., 614, 643
Kitthawee, S., 231
Klein, T. A., 349
Klocko, A. D., 447
Klun, J. A., 249, 418
Knox, T. B., 1
Kobayashi, M., 269
Kocan, A. A., 170
Kolaczinski, J. H., 930
Kondig, J. P., 467
Kongmee, M., 1055
Koo, H., 447
Kramer, M., 121, 249, 418
Kumpitak, C., 201, 209
Kyriacou, C. P., 906

L
Labruna, M. B., 324, 533, 1073
Lacombe, E. H., 779
Lamizana, M., 914
Lane, R. S., 239, 768
Lanzaro, G. C., 333, 375
LaPointe, D., 1157
Laugen, A. T., 746
Lealsirivattanakul, T., 151
Lee, H.-S., 699
Lee, J. S., 973
Lee, S. H., 231
Lefevre, P., 914
Léger, N., 813
Lerdthusnee, K., 467
Leroux, F., 914
Levin, M. L., 476, 1171
Levine, R. S., 607
Li, A. Y., 193
Li, C., 392
Lien, J.-C., 677
Linardi, P. M., 545, 552
Lindsay, L. R., 622
Linton, Y.-M., 287, 302
Little, S. E., 753
Liu, H., 408, 946
Liu, N., 408, 946
Loftis, A. D., 1171
Long, S., 1
López-Ortega, G., 587
Lozano-Kasten, F., 484
Lubelczyk, C., 779
Ludwig, G. V., 467
Lyons, S. A., 1143
Lysyk, T. J., 598, 1082

M
Maarouf, A., 622
Madhav, N. K., 842
Magallón-Gastélum, E., 484
Maharaj, R., 130
Mahmood, F., 965
Mahmood, F., William K. Reisen, 982
Maingon, R., 1021
Maneechai, N., 201
Manguin, S., 12, 287
Margonari, C. S., 187
Marinucci, M., 582
Marquine, M., 718
Marroquín, R., 321
Martínez, J., 1068
Martinez, V., 978
Martinez, V. M., 462
Mather, T. N., 861
Matsumoto, I., 107
Matusop, A., 287
Maupin, G. O., 1043

McBride, J., 1073
McBride, J. W., 533
Mead, D. G., 78
Melgar, S., 882
Menes, M., 296
Merritt, R. W., 853
Micher, K. M., 408
Mico, M., 158
Miki, K., 810
Miller, J. A., 65, 942
Miller, R. J., 193, 524, 1034
Minakawa, N., 810, 1001
Misumi, H., 107
Misumi, M., 107
Mixson, T. R., 1104
Miyamoto, V., 731
Moncayo, A., 961
Monroy, A., 882
Monroy, C., 296, 321
Moore, V. A., 753
Morales-Malacara, J. B., 587
Mores, C. N., 973
Morgan, M. S., 69, 74
Mori, A., 1027
Morohashi, M., 796
Morrison, A. C., 502, 634, 1123
Morshed, M. G., 226
Mousson, L., 664
Moyano, E., 158
Mthembu, S. D., 130
Mulla, M. S., 423
Mullens, B. A., 865
Mumcuoglu, K. Y., 803
Mummey, D. L., 340
Mun, J., 239, 768
Munstermann, L. E., 23, 33
Murphy, M. D., 78
Mutebi, J.-P., 23
Myles, K. M., 95

N

Nagelkerke, N. J. D., 83
Nakajima, S., 107
Navarro, J.-C., 575
Neal, J. S., 69
Needham, G. R., 529
Neira, M., 467
Nerurkar, V. R., 731
Nettanomsak, S., 657
N'Guessan, R., 914
Nichols, R., 684
Nielsen-Leroux, C., 58
Nihei, N., 269
Noblet, R., 78

O

O'Brochta, D. A., 447
O'Callaghan, C. J., 622
OConnor, B. M., 308
Oehler, D. D., 65, 942
Ogden, N. H., 622
Oldland, W. K., 495
Oliveira, C. M. F., 58
Oliveira, R. D. S., 819
Oliver, J., 1090
Olson, J. G., 1123
Olson, K. E., 95
Ordoñez, R., 760
Orsoni, A., 664
Ortiz, D. I., 987
Ostfeld, R. S., 774, 922
Ouaissi, A., 484, 1015
Owen, J. P., 865

P

Paddock, C. D., 1104
Pålsson, K., 746
Paragas, J. J., 973
Pardanani, N., 861
Pasteur, N., 718
Paupy, C., 664
Payton, M. E., 170
Pecor, J. E., 349
Pei, G., 58
Peixoto, A. A., 888, 906
Pereira Lima, J. B., 888
Perich, M. J., 151
Perret, J.-L., 162, 361
Peterson, A. T., 607
Peyton, E. L., 12
Phillips, P. L., 121
Phunkitchar, V., 201
Pierro, D. J., 95
Pietrokovsky, S., 1015
Pimenta, P. F. P., 545
Pinter, A., 324
Pinto, N., 296
Pitasawat, B., 672
Plummer, P. R., 1034
Ponlawat, A., 201, 209
Popov, V., 1073
Pound, J. M., 65, 942
Prabaripai, A., 657, 1055
Prajapati, V., 691
Purdie, D. M., 133, 1116
Pushko, P., 467
Pyke, A., 1

R

Rachapaew, N., 201
Rais, O., 361
Ramirez-Prada, G., 502
Ramsey, J. M., 760
Rand, P. W., 779
Rasgon, J. L., 255, 385, 1175
Rattanachanpichai, E., 672
Regis, L., 58
Reinert, J. F., 392
Reisen, W. K., 462, 539, 965, 978
Reiskind, M. H., 179, 650
Remme, J. H. F., 83
Reshef, A., 803
Richman, A. M., 447
Ritchie, S. A., 1
Roberts, D., 418
Roche, J., 158
Rochon, K., 1082
Rodas, A., 296
Rodriguez, R., 1111
Roelants, P., 366
Rojas, G., 296
Romi, R., 582
Romoser, W. S., 467
Rongsriyam, K., 672
Rosine, J., 718
Ross, D. E., 476, 1171
Roth, A., 539
Rowcliffe, K. L., 115
Rowley, W. A., 1179
Rowton, E., 418
Rowton, E. D., 774
Roy, P., 774
Rubio, J. M., 158
Rueda, L. M., 12
Ryan, J. R., 209
Ryan, P. A., 1143

S

Salazar-Schettino, P. M., 296
Salomón, O. D., 33
Samuel, M. D., 1157
Samuel, P. P., 442, 456
Sardelis, M. R., 349
Sattabongkot, J., 201, 209
Satyanarayana, K., 442
Schachter-Broide, J., 643
Schal, C., 953
Schmidtmann, E. T., 340
Schneider, B. S., 736, 1043
Schneider, J. R., 634
Schoeler, G. B., 489
Schriefer, M., 800
Sciulli, R., 731
Scoles, G. A., 277
Scott, J. D., 226
Scott, T. W., 231, 255, 385, 502, 539, 634, 1123, 1175
Seeley, D., 447
Seki, T., 796
Selinger, L. B., 1082
Seng, C. M., 287
Serna, L. A., 1068
Severson, D. W., 1027
Sharp, B. L., 130
Shermuhemedova, D., 973
Shiao, S.-F., 47
Shimamura, R., 269
Shirai, Y., 796
Sierra, D. M., 302
Sigue, H., 814
Sihuincha, M., 1123
Silva-Filha, M. H., 58
Simard, F., 561, 901
Sithiprasasna, R., 151
Smith, C. K., II, 1034
Smith, G., 1

Smith, R. P., Jr., 779
Soares, M. J., 819
Sochantha, T., 366
Solberg, V. B., 249
Soto, M. M., 1015
Soumbey-Alley, E., 83
Souza, N. A., 906
Speybroeck, N., 814
Stafford, K. C., III, 1043
Stallknecht, D. E., 78
Stancil, J. D., 1123
Stark, L. M., 215
Steelman, C. D., 598
Steinlein, D. B., 239
Stevens, J. R., 736
Stoffolano, J. G., Jr., 684
Strickman, D., 418
Sumner, J. W., 1104
Sykes, C. M., 800

T

Taafe Gaunt, C. M., 23
Tabor, K. L., 785
Takagi, M., 810, 873
Takahashi, M., 107
Takizawa, H., 796
Tarvin, K. A., 215
Taylor, C. E., 333
Temeyer, K. B., 259
Tennessen, K. J., 495
Thenmozhi, V., 442, 456
Thomas, P., 1143
Tiang-Trong, S., 151
Touré, Y. T., 333
Traoré, S., 375
Travi, B. L., 33
Tripathi, A. K., 691
Tripet, F., 375
Trung, H. D., 287, 366
Tsai, K.-H., 677
Tsao, J. I., 842
Tuetun, B., 672
Tuno, N., 810
Turell, M. J., 349, 973

U

Unnasch, T. R., 495
Urakami, H., 107

V

Valle, D., 888
Van Bortel, W., 366
Van den Bossche, P., 814
Varela, A. S., 753
Vazquez-Prokopec, G. M., 614
Vela-Perez, Q., 489
Velásquez, C., 1010
Velez, I. D., 302, 833
Vetter, R. S., 593
Vigoder, F. M., 906
Viner, J. P., 1179
Vizioli, J., 447
Volleth, M., 826
Vredevoe, L. K., 736

W

Wagman, J., 430
Walker, D. H., 533, 1073
Wallace, J. R., 853
Walter, G., 826
Waltner-Toews, D., 622
Walton, E. T., 650
Walton, S. F., 74
Walton, W. E., 435, 935
Ward, R. D., 906
Wasieloski, L. P., Jr., 467
Waterson, D. G. E., 414
Watts, D., 1123
Watts, D. M., 349
Weaver, S. C., 575, 961, 987
Welch, J. B., 121
Westwood, G. S., 705
Wettemann, R. P., 170
White, W. H., 1034
Whitworth, T., 1073
Wilkerson, R. C., 392, 1111
Williams, J., 418
Wilson, M. L., 33, 179, 634, 650, 760
Wilson, W. C., 340
Wirth, M. C., 435, 935
Wirtz, R. A., 151, 209
Wisnivesky-Colli, C., 1015
Wohlfart, I., 1064
Wolff, M., 1010
Wondji, C. S., 901
Woodrow, R. J., 731
Woolfenden, G. E., 215
Wu, W.-J., 677

X

Xue, R.-D., 726

Y

Yamamoto, S., 107
Yan, G., 810, 1001
Yanagihara, R., 731
Yang, Y.-C., 699
Yebakima, A., 718
Yin, C.-M., 684
Yoshida, M., 269
Yp-Tcha, M.-M., 718
Yuan, Z., 58

Z

Zahiri, N. S., 423
Zaim, M., 712
Zeidner, N. S., 1043
Zhioua, E., 922
Zhou, G., 1001
Zollner, G., 201

CUMULATIVE SUBJECT INDEX
Medical Entomology
Volume 41, 2004

A

A. americanum,
  E. chaffeensis, 1104
  Long Island, 1104
  prevalence, 1104
ABH antigens,
  ABO blood groups, 796
  Aedes albopictus, 796
  landing preference, 796
  secretors/nonsecretors, 796
ABO blood groups,
  ABH antigens, 796
  Aedes albopictus, 796
  landing preference, 796
  secretors/nonsecretors, 796
abundance,
  kriging, 1143
  mosquito, 1143
  spatial statistics, 1143
  vector, 1143
Acari,
  bat ectoparasites, 587
  Choeronycteris mexicana, 587
  Eudusbabekia choeronycteris n. sp., 587
  Myobiidae, 587
acaricides, 65, 193, 942, 1034
  amitraz, 193
  bioassay, 1034
  Boophilus microplus, 193
  cattle tick, 193
  ixodid, 1034
  larval immersion, 1034
  medicated bait, 65, 942
  pharmacokinetics, 65, 942
  resistance detection, 193
  screening, 1034
  tick control, 65, 942
acetylcholinesterase,
  AChE, 259
  Boophilus microplus, 259
  cDNA, 259
  resistance, 259
AChE,
  acetylcholinesterase, 259
  Boophilus microplus, 259
  cDNA, 259
  resistance, 259
adaptation,
  mosquito, 987
  susceptibility, 987
  vector, 987
  Venezuelan equine encephalitis virus, 987
Aedes,
  Anopheles, 873
  Culex, 873
  host-seeking, 873
  photoelectric sensor, 873
Aedes aegypti, 1, 95, 231, 502, 634, 664, 672, 712, 1055, 1123
  age-grading, 231
  amplified fragment length polymorphism, 664
  Anopheles gambiae, 712
  AR339, 95
  behavioral avoidance, 1055
  container productivity, 1123
  Culex quinquefasciatus, 712
  cuticular hydrocarbons, 231
  cytogenetics, 672
  deltamethrin, 1055
  dengue, 1, 231, 502
  dengue fever, 634, 1123
  dinotefuran, 712
  excito-repellency, 1055
  fractions, 672
  geographic information system, 502
  Gloriosa superba, 672
  insecticide resistance, 712
  isoenzyme, 664
  larval competition, 634
  metaphase chromosomes, 672
  microsatellites, 664
  mortality, 231
  mosquito size, 634
  MRE16, 95
  ovitrap, 1
  polymerase chain reaction, 1
  population genetics, 664
  Sindbis, 95
  spatial analysis, 634
  surveillance, 1, 502
  Thailand, 231
  thresholds, 1123
  transmission, 95
Aedes albopictus, 23, 657, 796, 946, 961
  ABH antigens, 796
  ABO blood groups, 796
  Aedes cretinus, 23
  Aedes flavopictus, 23
  biochemical taxonomy, 23
  cross-resistance, 946
  dengue vector, 657
  dengue virus, 961
  insecticide resistance, 946
  isozymes, 657
  landing preference, 796
  longevity, 961
  secretors/nonsecretors, 796
  Thailand, 657
  vector competence, 961
Aedes cretinus,
  Aedes albopictus, 23
  Aedes flavopictus, 23
  biochemical taxonomy, 23
Aedes flavopictus,
  Aedes albopictus, 23
  Aedes cretinus, 23
  biochemical taxonomy, 23
age-grading,
  Aedes aegypti, 231
  cuticular hydrocarbons, 231
  dengue, 231
  mortality, 231
  Thailand, 231
aggregation,
  fly-resistant, 598
  fly-susceptible, 598
  horn fly, 598
  sampling, 598
allele replacement,
  insecticide resistance, 718
  insensitive acetylcholinesterase, 718
  overproduced esterases, 718
allergen avoidance,
  Dermatophagoides farinae, 529
  environmental control, 529
  house dust mites, 529
Alphaviruses,
  New York, 1090
  wild birds, 1090
Amazon,
  Amblyomma, 1073
  Brazil, 1073
  Rickettsia, 1073
  ultrastructure, 1073
Amazon Basin,
  Culicidae, 349
  distribution, 349
  mosquito ecology, 349
  Peru, 349
Amblyomma, 277, 1073
  Amazon, 1073
  Brazil, 1073
  Dermacentor, 277
  endosymbiont, 277
  Francisella, 277
  Ornithodoros, 277
  Rickettsia, 1073
  ultrastructure, 1073

Amblyomma americanum, 753, 1171
Borrelia lonestari, 753
Ehrlichia chaffeensis, 753
Ehrlichia ewingii, 753
Georgia, 753
mice, 1171
Mus musculus, 1171
resistance, 1171
ticks, 1171
Amblyomma aureolatum,
Brazil, 324
life cycle, 324
seasonal dynamics, 324
ticks, 324
Amblyomma longirostre,
Brazil, 533
Rickettsia, 533
Rondonia, 533
ticks, 533
Amblyomma maculatum,
host–parasite relationship, 170
seasonal occurrence, 170
American Cutaneous Leishmaniasis,
Argentina, 33
Lutzomyia, 33
seasonal abundance, 33
vector ecology, 33
amitraz,
acaricides, 193
Boophilus microplus, 193
cattle tick, 193
resistance detection, 193
amplified fragment length polymorphism,
Aedes aegypti, 664
isoenzyme, 664
microsatellites, 664
population genetics, 664
An. rangeli,
An. strodei, 1111
An. triannulatus, 1111
An. trinkae, 1111
polymerase chain reaction, 1111
An. strodei,
An. rangeli, 1111
An. triannulatus, 1111
An. trinkae, 1111
polymerase chain reaction, 1111
An. triannulatus,
An. rangeli, 1111
An. strodei, 1111
An. trinkae, 1111
polymerase chain reaction, 1111
An. trinkae,
An. rangeli, 1111
An. strodei, 1111
An. triannulatus, 1111
polymerase chain reaction, 1111
analogs,
DEET, 430
DEPA, 430
in vitro, 430
repellents, 430
Anaplasma phagocytophilum, 239, 476
Borrelia burgdorferi, 239
coadaptation, 476
Ehrlichia chaffeensis, 239
Ixodes pacificus, 239
Ixodes scapularis, 476
risk factors, 239
vector survival, 476
Anopheles, 151, 201, 209, 392, 746, 873
Aedes, 873
circumsporozoite protein, 209
crucians, 392
Culex, 873
domestic animals, 746
entomological risk factors, 746
Guinea Bissau, 746
host-seeking, 873
infectivity, 201
internal transcribed spacer two, 392
malaria, 151, 392, 746
mosquitoes, 201
P. vivax, 209
photoelectric sensor, 873
Plasmodium, 151, 201
Plasmodium falciparum, 209
rapid detection, 209
species complex, 392
surveillance, 151
traps, 151
Anopheles albitarsis, 888, 997
density, 997
Haldane's rule, 888
hybrid sterility, 888
malaria, 888, 997
rice irrigation, 997
speciation, 888
survival, 997
Anopheles anthropophagus,
Anopheles sinensis, 5
cryptic species, 5
malaria, 5
PCR, 5
Anopheles benarrochi,
Anopheles darlingi, 489
malaria, 489
Peru, 489
Plasmodium, 489
Anopheles darlingi,
Anopheles benarrochi, 489
malaria, 489
Peru, 489
Plasmodium, 489
Anopheles funestus,
Cameroon, 901
malaria transmission, 901
Anopheles gambiae, 447, 712, 810
Aedes aegypti, 712
cecropin, 447
Culex quinquefasciatus, 712
dinotefuran, 712
diving behavior, 810
insecticide resistance, 712
larval ecology, 810
malaria, 447
mosquito, 810
Plasmodium, 447
transgenic insects, 447
Anopheles gambiae s.l.,
exponential decay, 333
larval distribution, 333
life tables, 333
survivorship, 333
Anopheles maculipennis complex,
cytochrome oxidase I, 582
internal transcribed spacer two, 582
malaria vector, 582
polymorphism, 582
Anopheles minimus,
behavior, 366
malaria control, 366
Southeast Asia, 366
species recognition, 366
Anopheles nili group,
Anopheles ovengensis, 561
bionomics, 561
Cameroon, 561
Culicidae, 561
Anopheles nuneztovari,
Colombia, 302
cytotype B C, 302
ITS2, 302
Anopheles ovengensis,
Anopheles nili group, 561
bionomics, 561
Cameroon, 561
Culicidae, 561
Anopheles pseudopunctipennis,
description, 12
malaria, 12
mosquitoes, 12
neotype, 12
Anopheles quadrimaculatus,
diel, 853
filter feeding, 853
larval distribution, 853
mosquito diets, 853
Anopheles sinensis,
Anopheles anthropophagus, 5
cryptic species, 5
malaria, 5
PCR, 5

Anopheles stephensi, 691, 807
cuticular hydrocarbons, 807
development inhibition, 691
hentriacontane, 807
malaria, 807
nonacosane, 807
piperitenone oxide, 691
repellency, 691
toxicity, 691
Anopheles sundaicus,
identification PCR, 287
malaria vector, 287
mitochondrial DNA markers, 287
speciation, 287
Anopheline vectors,
Bioko, 158
Equatorial Guinea, 158
malaria, 158
transmission dynamics, 158
antenna,
Cochliomyia hominivorax, 545
olfactory sensilla, 545
screwworm myiasis, 545
ultrastructure, 545
antibody,
IgE, 74
Sarcoptes scabiei, 74
scabies, 74
Aphelocoma coerulescens,
arbovirus, 215
Cyanocitta cristata, 215
encephalitis, 215
jay, 215
AR339,
Aedes aegypti, 95
MRE16, 95
Sindbis, 95
transmission, 95
arbovirus, 215, 467, 731
18S rRNA, 731
Aphelocoma coerulescens, 215
basal lamina, 467
Cyanocitta cristata, 215
encephalitis, 215
jay, 215
midgut, 467
mosquito, 467, 731
reverse transcriptase-polymerase chain reaction, 731
tracheae, 467
West Nile virus, 731
arbovirus vector,
biting midge, 340
midgut microbiota, 340
Argentina,
American Cutaneous Leishmaniasis, 33
Lutzomyia, 33
seasonal abundance, 33
vector ecology, 33
Australia, 115, 133, 414, 1116
Barmah Forest virus, 115
climate, 133, 1116
Culex annulirostris, 414
deet, 414
N,N-diethyl-3-methylbenzamide, 414
outbreaks, 133, 1116
picaridin, 414
Queensland, 115
repellents, 414
risk factors, 133
Ross River virus, 115
Ross River virus disease, 133, 1116
seasons, 1116
vectors, 115

B

B. sphaericus,
B. t. subsp. *israelensis*, 935
resistance management, 935
synergy, 935
B. t. subsp. *israelensis*,
B. sphaericus, 935
resistance management, 935
synergy, 935
Bacillus sphaericus,
Culex quinquefasciatus, 58
inheritance, 58
receptor, 58
resistance, 58
Bacillus thuringiensis subsp. *israelensis*,
Bacillus thuringiensis subsp. *jegathesan*, 435
cross-resistance, 435
Culex quinquefasciatus, 435
resistance, 435
Bacillus thuringiensis subsp. *jegathesan*,
Bacillus thuringiensis subsp. *israelensis*, 435
cross-resistance, 435
Culex quinquefasciatus, 435
resistance, 435
Barmah Forest virus,
Australia, 115
Queensland, 115
Ross River virus, 115
vectors, 115
basal lamina,
arbovirus, 467
midgut, 467
mosquito, 467
tracheae, 467
bat ectoparasites,
Acari, 587
Choeronycteris mexicana, 587
Eudusbabekia choeronycteris n. sp., 587
Myobiidae, 587
bats,
Carios kelleyi, 1179
home infestation, 1179
human blood, 1179
skin lesions, 1179
Beauveria bassiana,
entomopathogenic fungi, 705
Metarhizium anisopliae, 705
tick biocontrol, 705
behavior,
Anopheles minimus, 366
malaria control, 366
Southeast Asia, 366
species recognition, 366
behavioral avoidance,
Aedes aegypti, 1055
deltamethrin, 1055
excito-repellency, 1055
bendiocarb,
bioassay, 130
carbamate, 130
residual life, 130
benzethonium chloride,
crop duct, 684
immunohistochemistry, 684
bioassay, 130, 249, 726, 1034
acaricide, 1034
bendiocarb, 130
blacklegged tick, 249
carbamate, 130
ixodid, 1034
larval immersion, 1034
lone star tick, 249
natural repellent, 726
personal protection, 249, 726
residual life, 130
screening, 1034
synthetic repellent, 726
biochemical taxonomy,
Aedes albopictus, 23
Aedes cretinus, 23
Aedes flavopictus, 23
Bioko,
Anopheline vectors, 158
Equatorial Guinea, 158
malaria, 158
transmission dynamics, 158
biological control,
blacklegged tick, 922
entomopathogenic fungus, 922
Lyme disease, 922
tick control, 922
bionomics,
Anopheles nili group, 561
Anopheles ovengensis, 561
Cameroon, 561
Culicidae, 561

biting midge,
arbovirus vector, 340
midgut microbiota, 340
black fly,
clinical disease, 78
insect transmission, 78
Simuliidae, 78
vector competence, 78
vesicular stomatitis, 78
blacklegged tick, 249, 922
bioassay, 249
biological control, 922
entomopathogenic fungus, 922
lone star tick, 249
Lyme disease, 922
personal protection, 249
tick control, 922
Blattella germanica allergen 1,
cockroach allergen, 953
digestion, 953
German cockroach, 953
midgut, 953
Blo t 5,
Blomia kulagini, 1068
Blomia tropicalis, 1068
mite allergens, 1068
mite growth, 1068
Blomia kulagini,
Blo t 5, 1068
Blomia tropicalis, 1068
mite allergens, 1068
mite growth, 1068
Blomia tropicalis,
Blo t 5, 1068
Blomia kulagini, 1068
mite allergens, 1068
mite growth, 1068
blood meal identification,
Culex erraticus, 495
Culiseta melanura, 495
eastern equine encephalomyelitis virus, 495
Saint Louis encephalitis, 495
Boophilus microplus, 193, 259, 402, 524
acaricides, 193
acetylcholinesterase, 259
AChE, 259
amitraz, 193
cattle tick, 193
cDNA, 259
control, 402
coumaphos, 524
dipping vat, 524
doramectin, 402
insecticide resistance, 524
macrocyclic lactone, 402
organophosphate, 524
resistance, 259
resistance detection, 193
southern cattle tick, 402
Borrelia bissettii,
Borrelia burgdorferi, 736
Ixodes, 736
Lyme disease, 736
rodent, 736
Borrelia burgdorferi, 226, 239, 736, 768, 800, 1043
Anaplasma phagocytophilum, 239
Borrelia bissettii, 736
California, 768
Ehrlichia chaffeensis, 239
fipronil, 1043
host-targeted, 1043
Ixodes, 736
Ixodes pacificus, 239, 768
Ixodes scapularis, 226, 800, 1043
Lyme disease, 226, 736, 768
Ontario, 226
outer surface protein A, 800
risk factors, 239
rodent, 736
spirochetes, 800
ticks, 768
Turkey Point, 226
Borrelia burgdorferi sensu lato,
climate, 162
Ixodes ricinus, 162
phenology, 162
tick density, 162
Borrelia lonestari,
Amblyomma americanum, 753
Ehrlichia chaffeensis, 753
Ehrlichia ewingii, 753
Georgia, 753
Brazil, 324, 533, 1073
Amazon, 1073
Amblyomma, 1073
Amblyomma aureolatum, 324
Amblyomma longirostre, 533
life cycle, 324
Rickettsia, 533, 1073
Rondonia, 533
seasonal dynamics, 324
ticks, 324, 533
ultrastructure, 1073
brown recluse spider,
Loxosceles reclusa, 593
misdiagnoses, 593
overdiagnosis, 593
spider bite, 593
Bsph/Bti recombinant,
Culex, 423
mosquitoes, 423
resistance, 423

C

California,
Borrelia burgdorferi, 768
Ixodes pacificus, 768
Lyme disease, 768
ticks, 768
Cameroon, 561, 901
Anopheles funestus, 901
Anopheles nili group, 561
Anopheles ovengensis, 561
bionomics, 561
Culicidae, 561
malaria transmission, 901
canine leishmaniasis,
emerging infectious disease, 774
kala-azar, 774
Lutzomyia vexator, 774
visceral leishmaniasis, 774
carbamate,
bendiocarb, 130
bioassay, 130
residual life, 130
Carios kelleyi,
bats, 1179
home infestation, 1179
human blood, 1179
skin lesions, 1179
carrion decomposition,
Chrysomya albiceps, 511
forensic entomology, 511
insect succession, 511
postmortem interval, 511
urban habitat, 511
cattle tick,
acaricides, 193
amitraz, 193
Boophilus microplus, 193
resistance detection, 193
cDNA,
acetylcholinesterase, 259
AChE, 259
Boophilus microplus, 259
resistance, 259
cecropin,
Anopheles gambiae, 447
malaria, 447
Plasmodium, 447
transgenic insects, 447
cellular automata,
dispersal, 842
home range, 842
spatial model, 842
tick, 842
cembrene,
diterpene, 1021
Lutzomyia longipalpis, 1021

sex pheromone, 1021
species complex, 1021
Chagas',
development cycle, 1010
disease, 1010
Panstrongylus rufotuberculatus, 1010
Triatominae, 1010
Trypanosoma cruzi, 1010
Chagas' disease, 614, 760
flight, 614
light trap, 614
risk factor analysis, 760
Triatoma pallidipennis, 760
Triatominae, 614
triatomine, 760
vector ecology, 614, 760
Cheyletidae,
ectoparasites, 308
new species, 308
Sciuridae, 308
Sciurocheyla, 308
chiggers,
endemic area, 107
Leptotrombidium pallidum, 107
Orientia tsutsugamushi, 107
scrub typhus, 107
Choeronycteris mexicana,
Acari, 587
bat ectoparasites, 587
Eudusbabekia choeronycteris n. sp., 587
Myobiidae, 587
chronic infections,
house finches, 978
overwintering, 978
St. Louis encephalitis, 978
western equine encephalomyelitis, 978
Chrysomya,
forensic entomology, 47
Hemipyrellia, 47
Lucilia, 47
mitochondrial DNA, 47
Chrysomya albiceps,
carrion decomposition, 511
forensic entomology, 511
insect succession, 511
postmortem interval, 511
urban habitat, 511
Cimicidae,
classification, 1175
phylogenetics, 1175
symbiosis, 1175
Wolbachia, 1175
circumsporozoite protein,
Anopheles, 209
P. vivax, 209
Plasmodium falciparum, 209
rapid detection, 209
cladistics,
Culicidae, 575
internal transcribed spacer 2, 575
phylogeny, 575
Venezuelan equine encephalitis, 575
classification, 255, 1175
Cimicidae, 1175
mosquito, 255
phylogenetics, 1175
symbiosis, 1175
transgenic, 255
Wolbachia, 255, 1175
wsp, 255
climate, 133, 162, 361, 1116
Australia, 133, 1116
Borrelia burgdorferi sensu lato, 162
Ixodes ricinus, 162, 361
outbreaks, 133, 1116
phenology, 162, 361
questing behavior, 361
risk factors, 133
Ross River virus disease, 133, 1116
seasons, 1116
tick density, 162
clinical disease,
black fly, 78
insect transmission, 78
Simuliidae, 78
vector competence, 78
vesicular stomatitis, 78
coadaptation,
Anaplasma phagocytophilum, 476
Ixodes scapularis, 476
vector survival, 476
Cochliomyia hominivorax, 121, 545
antenna, 545
habitat preference, 121
olfactory sensilla, 545
remote sensing, 121
screwworm fly, 121
screwworm myiasis, 545
ultrastructure, 545
cockroach allergen,
Blattella germanica allergen 1, 953
digestion, 953
German cockroach, 953
midgut, 953
Colombia, 1, 302, 833
Anopheles nuneztovari, 302
cytotype B C, 302
ITS2, 302
leishmaniasis, 1
Lutzomyia emberai n. sp., 1, 833
Lutzomyia verrucarum group, 1
Phlebotominae, 1, 833
taxonomy, 1, 833
container productivity,
Aedes aegypti, 1123
dengue fever, 1123
thresholds, 1123
control,
Boophilus microplus, 402
doramectin, 402
macrocyclic lactone, 402
southern cattle tick, 402
copulatory courtship,
leishmaniasis, 906
sand flies, 906
species complex, 906
coumaphos,
Boophilus microplus, 524
dipping vat, 524
insecticide resistance, 524
organophosphate, 524
crop duct,
benzethonium chloride, 684
immunohistochemistry, 684
cross-resistance, 408, 435, 946
Aedes albopictus, 946
Bacillus thuringiensis subsp. *israelensis*, 435
Bacillus thuringiensis subsp. *jegathesan*, 435
Culex quinquefasciatus, 408, 435
insecticide resistance, 408, 946
resistance, 435
crucians,
Anopheles, 392
internal transcribed spacer two, 392
malaria, 392
species complex, 392
cryptic species,
Anopheles anthropophagus, 5
Anopheles sinensis, 5
malaria, 5
PCR, 5
Culex, 423, 442, 456, 873
Aedes, 873
Anopheles, 873
Bsph/Bti recombinant, 423
host-seeking, 873
India, 456
Japanese encephalitis, 456
Mansonia, 456
Mansonioides, 442
mosquito feeding pattern, 442
mosquitoes, 423
photoelectric sensor, 873
resistance, 423
secondary vector, 456

Culex annulirostris,
Australia, 414
deet, 414
N,N-diethyl-3-methylbenzamide, 414
picaridin, 414
repellents, 414
Culex erraticus,
blood meal identification, 495
Culiseta melanura, 495
eastern equine encephalomyelitis virus, 495
Saint Louis encephalitis, 495
Culex pipiens,
3-hydroxykynurenine, 385
eye color mutant, 385
ommochrome, 385
xanthommatin, 385
Culex quinquefasciatus, 58, 408, 435, 712, 1157
Aedes aegypti, 712
Anopheles gambiae, 712
Bacillus sphaericus, 58
Bacillus thuringiensis subsp. *israelensis*, 435
Bacillus thuringiensis subsp. *jegathesan*, 435
cross-resistance, 408, 435
dinotefuran, 712
Hawaii, 1157
inheritance, 58
insecticide resistance, 408, 712
population model, 1157
rainfall, 1157
receptor, 58
resistance, 58, 435
temperature, 1157
Culex tarsalis, 965, 982
fitness, 982
house finch, 965
life table, 982
mourning dove, 965
St. Louis encephalitis virus, 965
survivorship, 982
transmission, 965
western equine encephalomyelitis virus, 982
Culex tritaeniorhynchus,
endophilic behavior, 994
indoor resting places, 994
Japanese encephalitis, 994
outdoor resting places, 994
Culicidae, 349, 561, 575
Amazon Basin, 349
Anopheles nili group, 561
Anopheles ovengensis, 561
bionomics, 561
Cameroon, 561
cladistics, 575
distribution, 349
internal transcribed spacer 2, 575
mosquito ecology, 349
Peru, 349
phylogeny, 575
Venezuelan equine encephalitis, 575
Culiseta melanura,
blood meal identification, 495
Culex erraticus, 495
eastern equine encephalomyelitis virus, 495
Saint Louis encephalitis, 495
cuticular hydrocarbons, 231, 807
Aedes aegypti, 231
age-grading, 231
Anopheles stephensi, 807
dengue, 231
hentriacontane, 807
malaria, 807
mortality, 231
nonacosane, 807
Thailand, 231
Cyanocitta cristata,
Aphelocoma coerulescens, 215
arbovirus, 215
encephalitis, 215
jay, 215
cytochrome oxidase I,
Anopheles maculipennis complex, 582
internal transcribed spacer two, 582
malaria vector, 582
polymorphism, 582
cytogenetics,
Aedes aegypti, 672
fractions, 672
Gloriosa superba, 672
metaphase chromosomes, 672
cytotype B C,
Anopheles nuneztovari, 302
Colombia, 302
ITS2, 302

D

deer density,
Ixodes scapularis, 779
Lyme disease, 779
vector control, 779
white-tailed deer, 779
DEET, 414, 430, 914
analogs, 430
Australia, 414
Culex annulirostris, 414
DEPA, 430
impregnated cloth, 914
in vitro, 430
N,N-diethyl-3-methylbenzamide, 414
permethrin, 914
picaridin, 414
repellents, 414, 430
vector control strategy, 914
deltamethrin,
Aedes aegypti, 1055
behavioral avoidance, 1055
excito-repellency, 1055
dendritic cells,
interleukin-6, 69
interleukin-8, 69
mononuclear cells, 69
tumor necrosis factor-α, 69
dengue, 1, 231, 502
Aedes aegypti, 1, 231, 502
age-grading, 231
cuticular hydrocarbons, 231
geographic information system, 502
mortality, 231
ovitrap, 1
polymerase chain reaction, 1
surveillance, 1, 502
Thailand, 231
dengue fever, 634, 1123
Aedes aegypti, 634, 1123
container productivity, 1123
larval competition, 634
mosquito size, 634
spatial analysis, 634
thresholds, 1123
dengue vector,
Aedes albopictus, 657
isozymes, 657
Thailand, 657
dengue virus,
Aedes albopictus, 961
longevity, 961
vector competence, 961
density,
Anopheles albitarsis, 997
malaria, 997
rice irrigation, 997
survival, 997
density dependence, 83, 179, 650
landscape ecology, 179
larval habitat, 179, 650
measurement error, 83
microfilarial uptake, 83
mosquito oviposition, 179
Onchocerca volvulus, 83
population regulation, 650
Simulium damnosum s.l., 83
West Nile virus, 179, 650
DEPA,
analogs, 430
DEET, 430
in vitro, 430
repellents, 430

Dermacentor,
Amblyomma, 277
endosymbiont, 277
Francisella, 277
Ornithodoros, 277
Dermatobia hominis,
pheromones, 552
sensilla, 552
terminalia, 552
ultrastructure, 552
Dermatophagoides farinae,
allergen avoidance, 529
environmental control, 529
house dust mites, 529
description,
Anopheles pseudopunctipennis, 12
malaria, 12
mosquitoes, 12
neotype, 12
development cycle,
Chagas', 1010
disease, 1010
Panstrongylus rufotuberculatus, 1010
Triatominae, 1010
Trypanosoma cruzi, 1010
development inhibition,
Anopheles stephensi, 691
piperitenone oxide, 691
repellency, 691
toxicity, 691
diel,
Anopheles quadrimaculatus, 853
filter feeding, 853
larval distribution, 853
mosquito diets, 853
digestion,
Blattella germanica allergen 1, 953
cockroach allergen, 953
German cockroach, 953
midgut, 953
dinotefuran,
Aedes aegypti, 712
Anopheles gambiae, 712
Culex quinquefasciatus, 712
insecticide resistance, 712
dipping vat,
Boophilus microplus, 524
coumaphos, 524
insecticide resistance, 524
organophosphate, 524
discriminant analysis,
ecoethology, 826
Myotis bechsteinii, 826
principal components analysis, 826
Spinturnix bechsteini, 826
disease,
Chagas', 1010
development cycle, 1010
Panstrongylus rufotuberculatus, 1010
Triatominae, 1010
Trypanosoma cruzi, 1010
dispersal,
cellular automata, 842
home range, 842
spatial model, 842
tick, 842
dispersal pattern,
Japan, 269
Latrodectus hasseltii, 269
spider diagram, 269
distribution,
Amazon Basin, 349
Culicidae, 349
mosquito ecology, 349
Peru, 349
diterpene,
cembrene, 1021
Lutzomyia longipalpis, 1021
sex pheromone, 1021
species complex, 1021
diving behavior,
Anopheles gambiae, 810
larval ecology, 810
mosquito, 810
domestic animals,
Anopheles, 746
entomological risk factors, 746
Guinea Bissau, 746
malaria, 746
doramectin,
Boophilus microplus, 402
control, 402
macrocyclic lactone, 402
southern cattle tick, 402

E

E. chaffeensis,
A. americanum, 1104
Long Island, 1104
prevalence, 1104
E. coli,
house fly, 1082
persistence, 1082
stable fly, 1082
survival, 1082
eastern equine encephalomyelitis virus,
blood meal identification, 495
Culex erraticus, 495
Culiseta melanura, 495
Saint Louis encephalitis, 495
ecoethology,
discriminant analysis, 826
Myotis bechsteinii, 826
principal components analysis, 826
Spinturnix bechsteini, 826
ectoparasites, 308, 865
Cheyletidae, 308
host seeking, 865
new species, 308
orientation, 865
Ornithonyssus sylviarum, 865
Sciuridae, 308
Sciurocheyla, 308
taxis, 865
eggs,
exochorion, 819
Lutzomyia, 819
sand fly, 819
scanning electron microscopy, 819
Ehrlichia chaffeensis, 239, 753
Amblyomma americanum, 753
Anaplasma phagocytophilum, 239
Borrelia burgdorferi, 239
Borrelia lonestari, 753
Ehrlichia ewingii, 753
Georgia, 753
Ixodes pacificus, 239
risk factors, 239
Ehrlichia ewingii,
Amblyomma americanum, 753
Borrelia lonestari, 753
Ehrlichia chaffeensis, 753
Georgia, 753
electrophoresis,
enzyme polymorphism, 40
genetic differentiation, 40
isozymes, 40
mosquitoes, 40
emerging infectious disease,
canine leishmaniasis, 774
kala-azar, 774
Lutzomyia vexator, 774
visceral leishmaniasis, 774
encephalitis,
Aphelocoma coerulescens, 215
arbovirus, 215
Cyanocitta cristata, 215
jay, 215
endemic area,
chiggers, 107
Leptotrombidium pallidum, 107
Orientia tsutsugamushi, 107
scrub typhus, 107
endophilic behavior,
Culex tritaeniorhynchus, 994
indoor resting places, 994
Japanese encephalitis, 994
outdoor resting places, 994
endosymbiont, 277, 677
Amblyomma, 277
Dermacentor, 277

Francisella, 277
mosquito, 677
Ornithodoros, 277
tissue tropism, 677
Wolbachia, 677
entomological risk factors,
Anopheles, 746
domestic animals, 746
Guinea Bissau, 746
malaria, 746
entomopathogenic fungi, 705, 922
Beauveria bassiana, 705
biological control, 922
blacklegged tick, 922
Lyme disease, 922
Metarhizium anisopliae, 705
tick biocontrol, 705
tick control, 922
environmental control,
allergen avoidance, 529
Dermatophagoides farinae, 529
house dust mites, 529
enzyme polymorphism,
electrophoresis, 40
genetic differentiation, 40
isozymes, 40
mosquitoes, 40
Equatorial Guinea,
Anopheline vectors, 158
Bioko, 158
malaria, 158
transmission dynamics, 158
essential oil,
fumigant, 699
natural insecticide, 699
natural pediculicide, 699
Pediculus humanus capitis, 699
Eudusbabekia choeronycteris n. sp.,
Acari, 587
bat ectoparasites, 587
Choeronycteris mexicana, 587
Myobiidae, 587
excito-repellency,
Aedes aegypti, 1055
behavioral avoidance, 1055
deltamethrin, 1055
exochorion,
eggs, 819
Lutzomyia, 819
sand fly, 819
scanning electron microscopy, 819
exponential decay,
Anopheles gambiae s.l., 333
larval distribution, 333
life tables, 333
survivorship, 333
eye color mutant,
3-hydroxykynurenine, 385
Culex pipiens, 385
ommochrome, 385
xanthommatin, 385

F

feeding patterns,
Mexico, 1015
peridomestic habitat, 1015
Triatoma longipennis, 1015
filter feeding,
Anopheles quadrimaculatus, 853
diel, 853
larval distribution, 853
mosquito diets, 853
fipronil,
Borrelia burgdorferi, 1043
host-targeted, 1043
Ixodes scapularis, 1043
fitness,
Culex tarsalis, 982
life table, 982
survivorship, 982
western equine encephalomyelitis virus, 982
flight,
Chagas' disease, 614
light trap, 614
Triatominae, 614
vector ecology, 614
fly-resistant,
aggregation, 598
fly-susceptible, 598
horn fly, 598
sampling, 598
fly-susceptible,
aggregation, 598
fly-resistant, 598
horn fly, 598
sampling, 598
forensic,
Pediculus humanus capitis, 803
Pediculus humanus humanus, 803
polymerase chain reaction, 803
short tandem repeat, 803
forensic entomology, 47, 511, 785
carrion decomposition, 511
Chrysomya, 47
Chrysomya albiceps, 511
Hemipyrellia, 47
insect succession, 511
Jaccard coefficient, 785
Lucilia, 47
mitochondrial DNA, 47
occurrence matrix, 785
postmortem interval, 511, 785
successional pattern, 785
urban habitat, 511
fractions,
Aedes aegypti, 672
cytogenetics, 672
Gloriosa superba, 672
metaphase chromosomes, 672
Francisella,
Amblyomma, 277
Dermacentor, 277
endosymbiont, 277
Ornithodoros, 277
fumigant,
essential oil, 699
natural insecticide, 699
natural pediculicide, 699
Pediculus humanus capitis, 699

G

genetic algorithm,
model, 607
spatial, 607
vector, 607
genetic control,
population replacement, 1027
selection, 1027
sex ratio, 1027
transgenic insects, 1027
genetic differentiation,
electrophoresis, 40
enzyme polymorphism, 40
isozymes, 40
mosquitoes, 40
geographic information system,
Aedes aegypti, 502
dengue, 502
surveillance, 502
geometric morphometry,
isometric size, 643
population structure, 643
shape, 643
Triatoma infestans, 643
Georgia,
Amblyomma americanum, 753
Borrelia lonestari, 753
Ehrlichia chaffeensis, 753
Ehrlichia ewingii, 753
German cockroach,
Blattella germanica allergen 1, 953
cockroach allergen, 953
digestion, 953
midgut, 953
Gloriosa superba,
Aedes aegypti, 672
cytogenetics, 672
fractions, 672
metaphase chromosomes, 672
Glossina spp.,
insecticide, 814
spinosad, 814
susceptibility, 814

tsetse control, 814
Guatemala, 321, 882
habitat, 321
population genetics, 882
random amplification of polymorphic DNA-polymerase chain reaction, 882
semiarid region, 321
sylvan, 882
Tillandsia xerographica, 321
Triatoma dimidiata, 882
Triatoma ryckmani, 321
Guinea Bissau,
Anopheles, 746
domestic animals, 746
entomological risk factors, 746
malaria, 746

H

habitat,
Guatemala, 321
semiarid region, 321
Tillandsia xerographica, 321
Triatoma ryckmani, 321
habitat preference,
Cochliomyia hominivorax, 121
remote sensing, 121
screwworm fly, 121
Haldane's rule,
Anopheles albitarsis, 888
hybrid sterility, 888
malaria, 888
speciation, 888
Hawaii,
Culex quinquefasciatus, 1157
population model, 1157
rainfall, 1157
temperature, 1157
Hemipyrellia,
Chrysomya, 47
forensic entomology, 47
Lucilia, 47
mitochondrial DNA, 47
hentriacontane,
Anopheles stephensi, 807
cuticular hydrocarbons, 807
malaria, 807
nonacosane, 807
home infestation,
bats, 1179
Carios kelleyi, 1179
human blood, 1179
skin lesions, 1179
home range,
cellular automata, 842
dispersal, 842
spatial model, 842
tick, 842
horn fly,
aggregation, 598
fly-resistant, 598
fly-susceptible, 598
sampling, 598
host competence,
mourning dove, 462
overwintering, 462
St. Louis encephalitis virus, 462
western equine encephalomyelitis virus, 462
host–parasite relationship,
Amblyomma maculatum, 170
seasonal occurrence, 170
host-seeking, 865, 873
Aedes, 873
Anopheles, 873
Culex, 873
ectoparasite, 865
orientation, 865
Ornithonyssus sylviarum, 865
photoelectric sensor, 873
taxis, 865
host-targeted,
Borrelia burgdorferi, 1043
fipronil, 1043
Ixodes scapularis, 1043
house dust mites,
allergen avoidance, 529
Dermatophagoides farinae, 529
environmental control, 529
house finches, 965, 978
chronic infections, 978
Culex tarsalis, 965
mourning dove, 965
overwintering, 978
St. Louis encephalitis, 978
St. Louis encephalitis virus, 965
transmission, 965
western equine encephalomyelitis, 978
house fly,
E. coli, 1082
persistence, 1082
stable fly, 1082
survival, 1082
human blood,
bats, 1179
Carios kelleyi, 1179
home infestation, 1179
skin lesions, 1179
hybrid sterility,
Anopheles albitarsis, 888
Haldane's rule, 888
malaria, 888
speciation, 888
3-hydroxykynurenine,
Culex pipiens, 385
eye color mutant, 385
ommochrome, 385
xanthommatin, 385

I

identification PCR,
Anopheles sundaicus, 287
malaria vector, 287
mitochondrial DNA markers, 287
speciation, 287
IgE,
antibody, 74
Sarcoptes scabiei, 74
scabies, 74
immunohistochemistry,
benzethonium chloride, 684
crop duct, 684
impregnated cloth,
DEET, 914
permethrin, 914
vector control strategy, 914
in situ enzyme immunoassay,
reverse transcription-polymerase chain reaction, 539
St. Louis encephalitis virus, 539
VecTest wicking assay, 539
West Nile virus, 539
in vitro,
analogs, 430
DEET, 430
DEPA, 430
repellents, 430
India,
Culex, 456
Japanese encephalitis, 456
Mansonia, 456
secondary vector, 456
indoor resting places,
Culex tritaeniorhynchus, 994
endophilic behavior, 994
Japanese encephalitis, 994
outdoor resting places, 994
infectivity,
Anopheles, 201
mosquitoes, 201
Plasmodium, 201
inheritance,
Bacillus sphaericus, 58
Culex quinquefasciatus, 58
receptor, 58
resistance, 58
insect repellent,
(1*S*,2′*S*)-2-methylpiperidinyl-3-cyclohexen-1-carboxami, 418
N,*N*-diethyl-3-methylbenzamide, 418

insect succession,
carrion decomposition, 511
Chrysomya albiceps, 511
forensic entomology, 511
postmortem interval, 511
urban habitat, 511
insect transmission,
black fly, 78
clinical disease, 78
Simuliidae, 78
vector competence, 78
vesicular stomatitis, 78
insecticide, 814, 930
Glossina spp., 814
insecticide-treated nets, 930
malaria, 930
management, 930
resistance, 930
spinosad, 814
susceptibility, 814
tsetse control, 814
insecticide resistance, 408, 524, 712, 718, 946
Aedes aegypti, 712
Aedes albopictus, 946
allele replacement, 718
Anopheles gambiae, 712
Boophilus microplus, 524
coumaphos, 524
cross-resistance, 408, 946
Culex quinquefasciatus, 408, 712
dinotefuran, 712
dipping vat, 524
insensitive acetylcholinesterase, 718
organophosphate, 524
overproduced esterases, 718
insecticide-treated nets,
insecticide, 930
malaria, 930
management, 930
resistance, 930
insensitive acetylcholinesterase,
allele replacement, 718
insecticide resistance, 718
overproduced esterases, 718
interleukin-6,
dendritic cells, 69
interleukin-8, 69
mononuclear cells, 69
tumor necrosis factor-α, 69
interleukin-8,
dendritic cells, 69
interleukin-6, 69
mononuclear cells, 69
tumor necrosis factor-α, 69
internal transcribed spacer 2, 392, 575, 582
Anopheles, 392
Anopheles maculipennis complex, 582
cladistics, 575
crucians, 392
Culicidae, 575
cytochrome oxidase I, 582
malaria, 392
malaria vector, 582
phylogeny, 575
polymorphism, 582
species complex, 392
Venezuelan equine encephalitis, 575
interspecific differences,
intraspecific variation, 296
traditional morphometry, 296
Triatoma dimidiata, 296
intraspecific variation,
interspecific differences, 296
traditional morphometry, 296
Triatoma dimidiata, 296
isoenzyme,
Aedes aegypti, 664
amplified fragment length polymorphism, 664
microsatellites, 664
population genetics, 664
isometric size,
geometric morphometry, 643
population structure, 643
shape, 643
Triatoma infestans, 643
isozymes, 40, 657
Aedes albopictus, 657
dengue vector, 657
electrophoresis, 40
enzyme polymorphism, 40
genetic differentiation, 40
mosquitoes, 40
Thailand, 657
ITS2,
Anopheles nuneztovari, 302
Colombia, 302
cytotype B C, 302
Ixodes,
Borrelia bissettii, 736
Borrelia burgdorferi, 736
Lyme disease, 736
rodent, 736
Ixodes pacificus, 239, 768
Anaplasma phagocytophilum, 239
Borrelia burgdorferi, 239, 768
California, 768
Ehrlichia chaffeensis, 239
Lyme disease, 768
risk factors, 239
ticks, 768
Ixodes ricinus, 162, 361
Borrelia burgdorferi sensu lato, 162
climate, 162, 361
phenology, 162, 361
questing behavior, 361
tick density, 162
Ixodes ricinus ticks,
lemon eucalyptus extract, 1064
Lyme borreliosis, 1064
repellents, 1064
tick-borne encephalitis, 1064
Ixodes scapularis, 226, 476, 779, 800, 861, 1043
Anaplasma phagocytophilum, 476
Borrelia burgdorferi, 226, 800, 1043
coadaptation, 476
deer density, 779
fipronil, 1043
host-targeted, 1043
Lyme disease, 226, 779
Ontario, 226
outer surface protein A, 800
Rhode Island, 861
spatial autocorrelation, 861
spirochetes, 800
tick density, 861
Turkey Point, 226
vector control, 779
vector survival, 476
white-tailed deer, 779
ixodid,
acaricide, 1034
bioassay, 1034
larval immersion, 1034
screening, 1034

J

Jaccard coefficient,
forensic entomology, 785
occurrence matrix, 785
postmortem interval, 785
successional pattern, 785
Japan,
dispersal pattern, 269
Latrodectus hasseltii, 269
spider diagram, 269
Japanese encephalitis, 456, 994
Culex, 456
Culex tritaeniorhynchus, 994
endophilic behavior, 994
India, 456
indoor resting places, 994
Mansonia, 456
outdoor resting places, 994
secondary vector, 456
jay,
Aphelocoma coerulescens, 215
arbovirus, 215

Cyanocitta cristata, 215
encephalitis, 215

K

kala-azar,
canine leishmaniasis, 774
emerging infectious disease, 774
Lutzomyia vexator, 774
visceral leishmaniasis, 774
Karshi virus,
mosquitoes, 973
Ornithodoros, 973
tick-borne encephalitis virus, 973
vector competency, 973
kriging,
abundance, 1143
mosquito, 1143
spatial statistics, 1143
vector, 1143

L

landing preference,
ABH antigens, 796
ABO blood groups, 796
Aedes albopictus, 796
secretors/nonsecretors, 796
landscape ecology,
density dependence, 179
larval habitat, 179
mosquito oviposition, 179
West Nile virus, 179
larval competition,
Aedes aegypti, 634
dengue fever, 634
mosquito size, 634
spatial analysis, 634
larval distribution, 333, 853
Anopheles gambiae s.l., 333
Anopheles quadrimaculatus, 853
diel, 853
exponential decay, 333
filter feeding, 853
life tables, 333
mosquito diets, 853
survivorship, 333
larval ecology,
Anopheles gambiae, 810
diving behavior, 810
mosquito, 810
larval habitat, 179, 650
density dependence, 179, 650
landscape ecology, 179
mosquito oviposition, 179
population regulation, 650
West Nile virus, 179, 650
larval immersion,
acaricide, 1034
bioassay, 1034
ixodid, 1034
screening, 1034
Latrodectus hasseltii,
dispersal pattern, 269
Japan, 269
spider diagram, 269
leishmaniasis, 1, 906
Colombia, 1
copulatory courtship, 906
Lutzomyia emberai n. sp., 1
Lutzomyia verrucarum group, 1
Phlebotominae, 1
sand flies, 906
species complex, 906
taxonomy, 1
lemon eucalyptus extract,
Ixodes ricinus ticks, 1064
Lyme borreliosis, 1064
repellents, 1064
tick-borne encephalitis, 1064
Leptotrombidium pallidum,
chiggers, 107
endemic area, 107
Orientia tsutsugamushi, 107
scrub typhus, 107
life cycle,
Amblyomma aureolatum, 324
Brazil, 324
seasonal dynamics, 324
ticks, 324
life tables, 333, 982
Anopheles gambiae s.l., 333
Culex tarsalis, 982
exponential decay, 333
fitness, 982
larval distribution, 333
survivorship, 333, 982
western equine encephalomyelitis virus, 982
light trap,
Chagas' disease, 614
flight, 614
Triatominae, 614
vector ecology, 614
lone star tick,
bioassay, 249
blacklegged tick, 249
personal protection, 249
Long Island,
A. americanum, 1104
E. chaffeensis, 1104
prevalence, 1104
longevity,
Aedes albopictus, 961
dengue virus, 961
vector competence, 961
Loxosceles reclusa,
brown recluse spider, 593
misdiagnoses, 593
overdiagnosis, 593
spider bite, 593
Lucilia,
Chrysomya, 47
forensic entomology, 47
Hemipyrellia, 47
mitochondrial DNA, 47
Lutzomyia, 33, 819
American Cutaneous Leishmaniasis, 33
Argentina, 33
eggs, 819
exochorion, 819
sand fly, 819
scanning electron microscopy, 819
seasonal abundance, 33
vector ecology, 33
Lutzomyia emberai n. sp., 1, 833
Colombia, 1, 833
leishmaniasis, 1
Lutzomyia verrucarum group, 1
Phlebotominae, 1, 833
taxonomy, 1, 833
Lutzomyia longipalpis,
cembrene, 1021
diterpene, 1021
sex pheromone, 1021
species complex, 1021
Lutzomyia verrucarum group,
Colombia, 1
leishmaniasis, 1
Lutzomyia emberai n. sp., 1
Phlebotominae, 1
taxonomy, 1
Lutzomyia vexator,
canine leishmaniasis, 774
emerging infectious disease, 774
kala-azar, 774
visceral leishmaniasis, 774
Lutzomyia whitmani,
phebotominae, 187
RAPD-PCR, 187
sand fly, 187
species complex, 187
Lyme borreliosis,
Ixodes ricinus ticks, 1064
lemon eucalyptus extract, 1064
repellents, 1064
tick-borne encephalitis, 1064
Lyme disease, 226, 736, 768, 779, 922
biological control, 922
blacklegged tick, 922
Borrelia bissettii, 736
Borrelia burgdorferi, 226, 736, 768

California, 768
deer density, 779
entomopathogenic fungus, 922
Ixodes, 736
Ixodes pacificus, 768
Ixodes scapularis, 226, 779
Ontario, 226
rodent, 736
tick control, 922
ticks, 768
Turkey Point, 226
vector control, 779
white-tailed deer, 779

M

macrocyclic lactone,
Boophilus microplus, 402
control, 402
doramectin, 402
southern cattle tick, 402
malaria, 5, 12, 151, 158, 392, 447, 489, 746, 807, 888, 930, 997, 1001
Anopheles, 151, 392, 746
Anopheles albitarsis, 888, 997
Anopheles anthropophagus, 5
Anopheles benarrochi, 489
Anopheles darlingi, 489
Anopheles gambiae, 447
Anopheles pseudopunctipennis, 12
Anopheles sinensis, 5
Anopheles stephensi, 807
Anopheline vectors, 158
Bioko, 158
cecropin, 447
crucians, 392
cryptic species, 5
cuticular hydrocarbons, 807
density, 997
description, 12
domestic animals, 746
entomological risk factors, 746
Equatorial Guinea, 158
Guinea Bissau, 746
Haldane's rule, 888
hentriacontane, 807
hybrid sterility, 888
insecticide, 930
insecticide-treated nets, 930
internal transcribed spacer two, 392
management, 930
mosquito, 1001
mosquitoes, 12
neotype, 12
nonacosane, 807
PCR, 5
Peru, 489
Plasmodium, 151, 447, 489
resistance, 930
rice irrigation, 997
spatial distribution, 1001
speciation, 888
species complex, 392
surveillance, 151
survival, 997
Taylor's power law, 1001
transgenic insects, 447
transmission dynamics, 158
traps, 151
malaria control,
Anopheles minimus, 366
behavior, 366
Southeast Asia, 366
species recognition, 366
malaria transmission,
Anopheles funestus, 901
Cameroon, 901
malaria vector, 287, 582
Anopheles maculipennis complex, 582
Anopheles sundaicus, 287
cytochrome oxidase I, 582
identification PCR, 287
internal transcribed spacer two, 582
mitochondrial DNA markers, 287
polymorphism, 582
speciation, 287
management,
insecticide, 930
insecticide-treated nets, 930
malaria, 930
resistance, 930
Mansonia,
Culex, 456
India, 456
Japanese encephalitis, 456
secondary vector, 456
Mansonioides,
Culex, 442
mosquito feeding pattern, 442
mate choice,
premating barriers to reproduction, 375
recognition cues, 375
reproductive isolation, 375
sympatric speciation, 375
measurement error,
density dependence, 83
microfilarial uptake, 83
Onchocerca volvulus, 83
Simulium damnosum s.l., 83
medicated bait, 65, 942
acaricide, 65, 942
pharmacokinetics, 65, 942
tick control, 65, 942
metaphase chromosomes,
Aedes aegypti, 672
cytogenetics, 672
fractions, 672
Gloriosa superba, 672
Metarhizium anisopliae,
Beauveria bassiana, 705
entomopathogenic fungi, 705
tick biocontrol, 705
(1*S*,2′*S*)-2-methylpiperidinyl-3-cyclohexen-1-carboxami,
insect repellent, 418
N,*N*-diethyl-3-methylbenzamide, 418
Mexico, 484, 1015
feeding patterns, 1015
peridomestic habitat, 1015
Phyllosoma complex, 484
rock piles, 484
sylvatic ecotopes, 484
Triatoma, 484
Triatoma longipennis, 1015
mice,
Amblyomma americanum, 1171
Mus musculus, 1171
resistance, 1171
ticks, 1171
microfilarial uptake,
density dependence, 83
measurement error, 83
Onchocerca volvulus, 83
Simulium damnosum s.l., 83
microsatellites,
Aedes aegypti, 664
amplified fragment length polymorphism, 664
isoenzyme, 664
population genetics, 664
midgut, 467, 953
arbovirus, 467
basal lamina, 467
Blattella germanica allergen 1, 953
cockroach allergen, 953
digestion, 953
German cockroach, 953
mosquito, 467
tracheae, 467
midgut microbiota,
arbovirus vector, 340
biting midge, 340
misdiagnoses,
brown recluse spider, 593
Loxosceles reclusa, 593
overdiagnosis, 593
spider bite, 593
mite allergens,
Blo t 5, 1068
Blomia kulagini, 1068
Blomia tropicalis, 1068
mite growth, 1068
mite growth,
Blo t 5, 1068
Blomia kulagini, 1068
Blomia tropicalis, 1068

mite allergens, 1068
mitochondrial DNA,
Chrysomya, 47
forensic entomology, 47
Hemipyrellia, 47
Lucilia, 47
mitochondrial DNA markers,
Anopheles sundaicus, 287
identification PCR, 287
malaria vector, 287
speciation, 287
model,
genetic algorithm, 607
spatial, 607
vector, 607
mononuclear cells,
dendritic cells, 69
interleukin-6, 69
interleukin-8, 69
tumor necrosis factor-α, 69
mortality,
Aedes aegypti, 231
age-grading, 231
cuticular hydrocarbons, 231
dengue, 231
Thailand, 231
mosquito diets,
Anopheles quadrimaculatus, 853
diel, 853
filter feeding, 853
larval distribution, 853
mosquito ecology,
Amazon Basin, 349
Culicidae, 349
distribution, 349
Peru, 349
mosquito feeding pattern,
Culex, 442
Mansonioides, 442
mosquito oviposition,
density dependence, 179
landscape ecology, 179
larval habitat, 179
West Nile virus, 179
mosquito size,
Aedes aegypti, 634
dengue fever, 634
larval competition, 634
spatial analysis, 634
mosquitoes, 12, 40, 201, 255, 423, 467, 677, 731, 810, 973, 987, 1001, 1143
18S rRNA, 731
abundance, 1143
adaptation, 987
Anopheles, 201
Anopheles gambiae, 810
Anopheles pseudopunctipennis, 12
arbovirus, 467, 731
basal lamina, 467
Bsph/Bti recombinant, 423
classification, 255
Culex, 423
description, 12
diving behavior, 810
electrophoresis, 40
endosymbiont, 677
enzyme polymorphism, 40
genetic differentiation, 40
infectivity, 201
isozymes, 40
Karshi virus, 973
kriging, 1143
larval ecology, 810
malaria, 12, 1001
midgut, 467
neotype, 12
Ornithodoros, 973
Plasmodium, 201
resistance, 423
reverse transcriptase-polymerase chain reaction, 731
spatial distribution, 1001
spatial statistics, 1143
susceptibility, 987
Taylor's power law, 1001
tick-borne encephalitis virus, 973
tissue tropism, 677
tracheae, 467
transgenic, 255
vector, 987, 1143
vector competency, 973
Venezuelan equine encephalitis virus, 987
West Nile virus, 731
Wolbachia, 255, 677
wsp, 255
mourning dove, 462, 965
Culex tarsalis, 965
host competence, 462
house finch, 965
overwintering, 462
St. Louis encephalitis virus, 462, 965
transmission, 965
western equine encephalomyelitis virus, 462
MRE16,
Aedes aegypti, 95
AR339, 95
Sindbis, 95
transmission, 95
Mus musculus,
Amblyomma americanum, 1171
mice, 1171
resistance, 1171
ticks, 1171
mutualism,
population replacement, 894
speciation, 894
symbiosis, 894
Wolbachia, 894
Myobiidae,
Acari, 587
bat ectoparasites, 587
Choeronycteris mexicana, 587
Eudusbabekia choeronycteris n. sp., 587
Myotis bechsteinii,
discriminant analysis, 826
ecoethology, 826
principal components analysis, 826
Spinturnix bechsteini, 826

N

N,N-diethyl-3-methylbenzamide, (1*S*,2′*S*)-2-methylpiperidinyl-3-cyclohexen-1-carboxami, 418
N,N-diethyl-3-methylbenzamide,
Australia, 414
Culex annulirostris, 414
deet, 414
N,N-diethyl-3-methylbenzamide,
insect repellent, 418
N,N-diethyl-3-methylbenzamide,
picaridin, 414
repellents, 414
natural insecticide,
essential oil, 699
fumigant, 699
natural pediculicide, 699
Pediculus humanus capitis, 699
natural pediculicide,
essential oil, 699
fumigant, 699
natural insecticide, 699
Pediculus humanus capitis, 699
natural repellent,
bioassay, 726
personal protection, 726
synthetic repellent, 726
neotype,
Anopheles pseudopunctipennis, 12
description, 12
malaria, 12
mosquitoes, 12
new species,
Cheyletidae, 308
ectoparasites, 308
Sciuridae, 308
Sciurocheyla, 308
New York,
Alphaviruses, 1090
wild birds, 1090

nonacosane,
Anopheles stephensi, 807
cuticular hydrocarbons, 807
hentriacontane, 807
malaria, 807

O

occurrence matrix,
forensic entomology, 785
Jaccard coefficient, 785
postmortem interval, 785
successional pattern, 785
olfactory sensilla,
antenna, 545
Cochliomyia hominivorax, 545
screwworm myiasis, 545
ultrastructure, 545
ommochrome,
3-hydroxykynurenine, 385
Culex pipiens, 385
eye color mutant, 385
xanthommatin, 385
Onchocerca volvulus,
density dependence, 83
measurement error, 83
microfilarial uptake, 83
Simulium damnosum s.l., 83
Ontario,
Borrelia burgdorferi, 226
Ixodes scapularis, 226
Lyme disease, 226
Turkey Point, 226
organophosphate,
Boophilus microplus, 524
coumaphos, 524
dipping vat, 524
insecticide resistance, 524
orientation,
ectoparasite, 865
host seeking, 865
Ornithonyssus sylviarum, 865
taxis, 865
Orientia tsutsugamushi,
chiggers, 107
endemic area, 107
Leptotrombidium pallidum, 107
scrub typhus, 107
Ornithodoros, 277, 973
Amblyomma, 277
Dermacentor, 277
endosymbiont, 277
Francisella, 277
Karshi virus, 973
mosquitoes, 973
tick-borne encephalitis virus, 973
vector competency, 973
Ornithonyssus sylviarum,
ectoparasite, 865
host seeking, 865
orientation, 865
taxis, 865
outbreaks, 133, 1116
Australia, 133, 1116
climate, 133, 1116
risk factors, 133
Ross River virus disease, 133, 1116
seasons, 1116
outdoor resting places,
Culex tritaeniorhynchus, 994
endophilic behavior, 994
indoor resting places, 994
Japanese encephalitis, 994
outer surface protein A,
Borrelia burgdorferi, 800
Ixodes scapularis, 800
spirochetes, 800
overdiagnosis,
brown recluse spider, 593
Loxosceles reclusa, 593
misdiagnoses, 593
spider bite, 593
overproduced esterases,
allele replacement, 718
insecticide resistance, 718
insensitive acetylcholinesterase, 718
overwintering, 462, 978
chronic infections, 978
host competence, 462
house finches, 978
mourning dove, 462
St. Louis encephalitis, 978
St. Louis encephalitis virus, 462
western equine encephalomyelitis, 978
western equine encephalomyelitis virus, 462
ovitrap,
Aedes aegypti, 1
dengue, 1
polymerase chain reaction, 1
surveillance, 1

P

P. vivax,
Anopheles, 209
circumsporozoite protein, 209
Plasmodium falciparum, 209
rapid detection, 209
Panstrongylus rufotuberculatus,
Chagas', 1010
development cycle, 1010
disease, 1010
Triatominae, 1010
Trypanosoma cruzi, 1010
PCR,
Anopheles anthropophagus, 5
Anopheles sinensis, 5
cryptic species, 5
malaria, 5
Pediculus humanus capitis, 699, 803
essential oil, 699
forensic, 803
fumigant, 699
natural insecticide, 699
natural pediculicide, 699
Pediculus humanus humanus, 803
polymerase chain reaction, 803
short tandem repeat, 803
Pediculus humanus humanus,
forensic, 803
Pediculus humanus capitis, 803
polymerase chain reaction, 803
short tandem repeat, 803
peridomestic habitat,
feeding patterns, 1015
Mexico, 1015
Triatoma longipennis, 1015
permethrin,
DEET, 914
impregnated cloth, 914
vector control strategy, 914
persistence,
E. coli, 1082
house fly, 1082
stable fly, 1082
survival, 1082
personal protection, 249, 726
bioassay, 249, 726
blacklegged tick, 249
lone star tick, 249
natural repellent, 726
synthetic repellent, 726
Peru, 349, 489
Amazon Basin, 349
Anopheles benarrochi, 489
Anopheles darlingi, 489
Culicidae, 349
distribution, 349
malaria, 489
mosquito ecology, 349
Plasmodium, 489
pharmacokinetics, 65, 942
acaricide, 65, 942
medicated bait, 65, 942
tick control, 65, 942
phebotominae,
Lutzomyia whitmani, 187
RAPD-PCR, 187
sand fly, 187
species complex, 187

phenology, 162, 361
Borrelia burgdorferi sensu lato, 162
climate, 162, 361
Ixodes ricinus, 162, 361
questing behavior, 361
tick density, 162
pheromones,
Dermatobia hominis, 552
sensilla, 552
terminalia, 552
ultrastructure, 552
Phlebotominae, 1, 833
Colombia, 1, 833
leishmaniasis, 1
Lutzomyia emberai n. sp., 1, 833
Lutzomyia verrucarum group, 1
taxonomy, 1, 833
photoelectric sensor,
Aedes, 873
Anopheles, 873
Culex, 873
host-seeking, 873
Phyllosoma complex,
Mexico, 484
rock piles, 484
sylvatic ecotopes, 484
Triatoma, 484
phylogenetics,
Cimicidae, 1175
classification, 1175
symbiosis, 1175
Wolbachia, 1175
phylogeny,
cladistics, 575
Culicidae, 575
internal transcribed spacer 2, 575
Venezuelan equine encephalitis, 575
picaridin,
Australia, 414
Culex annulirostris, 414
deet, 414
N,N-diethyl-3-methylbenzamide, 414
repellents, 414
piperitenone oxide,
Anopheles stephensi, 691
development inhibition, 691
repellency, 691
toxicity, 691
Plasmodium, 151, 201, 447, 489
Anopheles, 151, 201
Anopheles benarrochi, 489
Anopheles darlingi, 489
Anopheles gambiae, 447
cecropin, 447
infectivity, 201
malaria, 151, 447, 489
mosquitoes, 201
Peru, 489
surveillance, 151
transgenic insects, 447
traps, 151
Plasmodium falciparum,
Anopheles, 209
circumsporozoite protein, 209
P. vivax, 209
rapid detection, 209
polymerase chain reaction, 1, 803, 1111
Aedes aegypti, 1
An. rangeli, 1111
An. strodei, 1111
An. triannulatus, 1111
An. trinkae, 1111
dengue, 1
forensic, 803
ovitrap, 1
Pediculus humanus capitis, 803
Pediculus humanus humanus, 803
short tandem repeat, 803
surveillance, 1
polymorphism,
Anopheles maculipennis complex, 582
cytochrome oxidase I, 582
internal transcribed spacer two, 582
malaria vector, 582
population genetics, 664, 882
Aedes aegypti, 664
amplified fragment length polymorphism, 664
Guatemala, 882
isoenzyme, 664
microsatellites, 664
random amplification of polymorphic DNA-polymerase chain reaction, 882
sylvan, 882
Triatoma dimidiata, 882
population model,
Culex quinquefasciatus, 1157
Hawaii, 1157
rainfall, 1157
temperature, 1157
population regulation,
density dependence, 650
larval habitat, 650
West Nile virus, 650
population replacement, 894, 1027
genetic control, 1027
mutualism, 894
selection, 1027
sex ratio, 1027
speciation, 894
symbiosis, 894
transgenic insects, 1027
Wolbachia, 894
population structure,
geometric morphometry, 643
isometric size, 643
shape, 643
Triatoma infestans, 643
postmortem interval, 511, 785
carrion decomposition, 511
Chrysomya albiceps, 511
forensic entomology, 511, 785
insect succession, 511
Jaccard coefficient, 785
occurrence matrix, 785
successional pattern, 785
urban habitat, 511
premating barriers to reproduction,
mate choice, 375
recognition cues, 375
reproductive isolation, 375
sympatric speciation, 375
prevalence,
A. americanum, 1104
E. chaffeensis, 1104
Long Island, 1104
principal components analysis,
discriminant analysis, 826
ecoethology, 826
Myotis bechsteinii, 826
Spinturnix bechsteini, 826

Q

Queensland,
Australia, 115
Barmah Forest virus, 115
Ross River virus, 115
vectors, 115
questing behavior,
climate, 361
Ixodes ricinus, 361
phenology, 361

R

rainfall,
Culex quinquefasciatus, 1157
Hawaii, 1157
population model, 1157
temperature, 1157
random amplification of polymorphic DNA-polymerase chain reaction,
Guatemala, 882
population genetics, 882
sylvan, 882
Triatoma dimidiata, 882
RAPD-PCR,
Lutzomyia whitmani, 187
phebotominae, 187

sand fly, 187
species complex, 187
rapid detection,
Anopheles, 209
circumsporozoite protein, 209
P. vivax, 209
Plasmodium falciparum, 209
receptor,
Bacillus sphaericus, 58
Culex quinquefasciatus, 58
inheritance, 58
resistance, 58
recognition cues,
mate choice, 375
premating barriers to reproduction, 375
reproductive isolation, 375
sympatric speciation, 375
remote sensing,
Cochliomyia hominivorax, 121
habitat preference, 121
screwworm fly, 121
repellency,
Anopheles stephensi, 691
development inhibition, 691
piperitenone oxide, 691
toxicity, 691
repellents, 414, 430, 1064
analogs, 430
Australia, 414
Culex annulirostris, 414
deet, 414
DEET, 430
DEPA, 430
in vitro, 430
Ixodes ricinus ticks, 1064
lemon eucalyptus extract, 1064
Lyme borreliosis, 1064
N,N-diethyl-3-methylbenzamide, 414
picaridin, 414
tick-borne encephalitis, 1064
reproductive isolation,
mate choice, 375
premating barriers to reproduction, 375
recognition cues, 375
sympatric speciation, 375
residual life,
bendiocarb, 130
bioassay, 130
carbamate, 130
resistance, 58, 259, 423, 435, 930, 1171
acetylcholinesterase, 259
AChE, 259
Amblyomma americanum, 1171
Bacillus sphaericus, 58
Bacillus thuringiensis subsp. *israelensis*, 435
Bacillus thuringiensis subsp. *jegathesan*, 435
Boophilus microplus, 259
Bsph/Bti recombinant, 423
cDNA, 259
cross-resistance, 435
Culex, 423
Culex quinquefasciatus, 58, 435
inheritance, 58
insecticide, 930
insecticide-treated nets, 930
malaria, 930
management, 930
mice, 1171
mosquitoes, 423
Mus musculus, 1171
receptor, 58
ticks, 1171
resistance detection,
acaricides, 193
amitraz, 193
Boophilus microplus, 193
cattle tick, 193
resistance management,
B. sphaericus, 935
B. t. subsp. *israelensis*, 935
synergy, 935
reverse transcriptase-polymerase chain reaction,
18S rRNA, 731
arbovirus, 731
mosquito, 731
West Nile virus, 731
reverse transcription-polymerase chain reaction,
in situ enzyme immunoassay, 539
St. Louis encephalitis virus, 539
VecTest wicking assay, 539
West Nile virus, 539
Rhode Island,
Ixodes scapularis, 861
spatial autocorrelation, 861
tick density, 861
rice irrigation,
Anopheles albitarsis, 997
density, 997
malaria, 997
survival, 997
Rickettsia, 533, 1073
Amazon, 1073
Amblyomma, 1073
Amblyomma longirostre, 533
Brazil, 533, 1073
Rondonia, 533
ticks, 533
ultrastructure, 1073
risk factor analysis,
Chagas disease, 760
Triatoma pallidipennis, 760
triatomine, 760
vector ecology, 760
risk factors, 133, 239
Anaplasma phagocytophilum, 239
Australia, 133
Borrelia burgdorferi, 239
climate, 133
Ehrlichia chaffeensis, 239
Ixodes pacificus, 239
outbreaks, 133
Ross River virus disease, 133
rock piles,
Mexico, 484
Phyllosoma complex, 484
sylvatic ecotopes, 484
Triatoma, 484
rodent,
Borrelia bissettii, 736
Borrelia burgdorferi, 736
Ixodes, 736
Lyme disease, 736
Rondonia,
Amblyomma longirostre, 533
Brazil, 533
Rickettsia, 533
ticks, 533
Ross River virus,
Australia, 115
Barmah Forest virus, 115
Queensland, 115
vectors, 115
Ross River virus disease, 133, 1116
Australia, 133, 1116
climate, 133, 1116
outbreaks, 133, 1116
risk factors, 133
seasons, 1116
18S rRNA,
arbovirus, 731
mosquito, 731
reverse transcriptase-polymerase chain reaction, 731
West Nile virus, 731

S

Saint Louis encephalitis,
blood meal identification, 495
Culex erraticus, 495
Culiseta melanura, 495
eastern equine encephalomyelitis virus, 495
salivary gland,
sodium dodecyl sulfate-polyacrylamide gel electrophoresis, 569
Toxorhynchites splendens, 569
ultrastructure, 569

sampling,
aggregation, 598
fly-resistant, 598
fly-susceptible, 598
horn fly, 598
sand flies, 187, 819, 906
copulatory courtship, 906
eggs, 819
exochorion, 819
leishmaniasis, 906
Lutzomyia, 819
Lutzomyia whitmani, 187
phebotominae, 187
RAPD-PCR, 187
scanning electron microscopy, 819
species complex, 187, 906
Sarcoptes scabiei,
antibody, 74
IgE, 74
scabies, 74
scabies,
antibody, 74
IgE, 74
Sarcoptes scabiei, 74
scanning electron microscopy,
eggs, 819
exochorion, 819
Lutzomyia, 819
sand fly, 819
Sciuridae,
Cheyletidae, 308
ectoparasites, 308
new species, 308
Sciurocheyla, 308
Sciurocheyla,
Cheyletidae, 308
ectoparasites, 308
new species, 308
Sciuridae, 308
screening,
acaricide, 1034
bioassay, 1034
ixodid, 1034
larval immersion, 1034
screwworm fly,
Cochliomyia hominivorax, 121
habitat preference, 121
remote sensing, 121
screwworm myiasis,
antenna, 545
Cochliomyia hominivorax, 545
olfactory sensilla, 545
ultrastructure, 545
scrub typhus,
chiggers, 107
endemic area, 107
Leptotrombidium pallidum, 107
Orientia tsutsugamushi, 107
seasonal abundance,
American Cutaneous Leishmaniasis, 33
Argentina, 33
Lutzomyia, 33
vector ecology, 33
seasonal dynamics,
Amblyomma aureolatum, 324
Brazil, 324
life cycle, 324
ticks, 324
seasonal occurrence,
Amblyomma maculatum, 170
host–parasite relationship, 170
seasons,
Australia, 1116
climate, 1116
outbreaks, 1116
Ross River virus disease, 1116
secondary vector,
Culex, 456
India, 456
Japanese encephalitis, 456
Mansonia, 456
secretors/nonsecretors,
ABH antigens, 796
ABO blood groups, 796
Aedes albopictus, 796
landing preference, 796
selection,
genetic control, 1027
population replacement, 1027
sex ratio, 1027
transgenic insects, 1027
semiarid region,
Guatemala, 321
habitat, 321
Tillandsia xerographica, 321
Triatoma ryckmani, 321
sensilla,
Dermatobia hominis, 552
pheromones, 552
terminalia, 552
ultrastructure, 552
sex pheromone,
cembrene, 1021
diterpene, 1021
Lutzomyia longipalpis, 1021
species complex, 1021
sex ratio,
genetic control, 1027
population replacement, 1027
selection, 1027
transgenic insects, 1027
shape,
geometric morphometry, 643
isometric size, 643
population structure, 643
Triatoma infestans, 643
short tandem repeat,
forensic, 803
Pediculus humanus capitis, 803
Pediculus humanus humanus, 803
polymerase chain reaction, 803
Simuliidae,
black fly, 78
clinical disease, 78
insect transmission, 78
vector competence, 78
vesicular stomatitis, 78
Simulium damnosum s.l.,
density dependence, 83
measurement error, 83
microfilarial uptake, 83
Onchocerca volvulus, 83
Sindbis,
Aedes aegypti, 95
AR339, 95
MRE16, 95
transmission, 95
skin lesions,
bats, 1179
Carios kelleyi, 1179
home infestation, 1179
human blood, 1179
sodium dodecyl sulfate-polyacrylamide gel electrophoresis,
salivary gland, 569
Toxorhynchites splendens, 569
ultrastructure, 569
Southeast Asia,
Anopheles minimus, 366
behavior, 366
malaria control, 366
species recognition, 366
southern cattle tick,
Boophilus microplus, 402
control, 402
doramectin, 402
macrocyclic lactone, 402
spatial,
genetic algorithm, 607
model, 607
vector, 607
spatial analysis,
Aedes aegypti, 634
dengue fever, 634
larval competition, 634
mosquito size, 634
spatial autocorrelation,
Ixodes scapularis, 861
Rhode Island, 861
tick density, 861
spatial distribution,
malaria, 1001
mosquito, 1001
Taylor's power law, 1001
spatial model,
cellular automata, 842
dispersal, 842
home range, 842

tick, 842
spatial statistics,
abundance, 1143
kriging, 1143
mosquito, 1143
vector, 1143
speciation, 287, 888, 894
Anopheles albitarsis, 888
Anopheles sundaicus, 287
Haldane's rule, 888
hybrid sterility, 888
identification PCR, 287
malaria, 888
malaria vector, 287
mitochondrial DNA markers, 287
mutualism, 894
population replacement, 894
symbiosis, 894
Wolbachia, 894
species complex, 187, 392, 906, 1021
Anopheles, 392
cembrene, 1021
copulatory courtship, 906
crucians, 392
diterpene, 1021
internal transcribed spacer two, 392
leishmaniasis, 906
Lutzomyia longipalpis, 1021
Lutzomyia whitmani, 187
malaria, 392
phebotominae, 187
RAPD-PCR, 187
sand flies, 906
sand fly, 187
sex pheromone, 1021
species recognition,
Anopheles minimus, 366
behavior, 366
malaria control, 366
Southeast Asia, 366
spider bite,
brown recluse spider, 593
Loxosceles reclusa, 593
misdiagnoses, 593
overdiagnosis, 593
spider diagram,
dispersal pattern, 269
Japan, 269
Latrodectus hasseltii, 269
spinosad,
Glossina spp., 814
insecticide, 814
susceptibility, 814
tsetse control, 814
Spinturnix bechsteini,
discriminant analysis, 826
ecoethology, 826
Myotis bechsteinii, 826
principal components analysis, 826
spirochetes,
Borrelia burgdorferi, 800
Ixodes scapularis, 800
outer surface protein A, 800
St. Louis encephalitis,
chronic infections, 978
house finches, 978
overwintering, 978
western equine encephalomyelitis, 978
St. Louis encephalitis virus, 462, 539, 965
Culex tarsalis, 965
host competence, 462
house finch, 965
in situ enzyme immunoassay, 539
mourning dove, 462, 965
overwintering, 462
reverse transcription-polymerase chain reaction, 539
transmission, 965
VecTest wicking assay, 539
West Nile virus, 539
western equine encephalomyelitis virus, 462
stable fly,
E. coli, 1082
house fly, 1082
persistence, 1082
survival, 1082
successional pattern,
forensic entomology, 785
Jaccard coefficient, 785
occurrence matrix, 785
postmortem interval, 785
surveillance, 1, 151, 502
Aedes aegypti, 1, 502
Anopheles, 151
dengue, 1, 502
geographic information system, 502
malaria, 151
ovitrap, 1
Plasmodium, 151
polymerase chain reaction, 1
traps, 151
survival, 997, 1082
Anopheles albitarsis, 997
density, 997
E. coli, 1082
house fly, 1082
malaria, 997
persistence, 1082
rice irrigation, 997
stable fly, 1082
survivorship, 333, 982
Anopheles gambiae s.l., 333
Culex tarsalis, 982
exponential decay, 333
fitness, 982
larval distribution, 333
life table, 982
life tables, 333
western equine encephalomyelitis virus, 982
susceptibility, 814, 987
adaptation, 987
Glossina spp., 814
insecticide, 814
mosquito, 987
spinosad, 814
tsetse control, 814
vector, 987
Venezuelan equine encephalitis virus, 987
sylvan,
Guatemala, 882
population genetics, 882
random amplification of polymorphic DNA-polymerase chain reaction, 882
Triatoma dimidiata, 882
sylvatic ecotopes,
Mexico, 484
Phyllosoma complex, 484
rock piles, 484
Triatoma, 484
symbiosis, 894, 1175
Cimicidae, 1175
classification, 1175
mutualism, 894
phylogenetics, 1175
population replacement, 894
speciation, 894
Wolbachia, 894, 1175
sympatric speciation,
mate choice, 375
premating barriers to reproduction, 375
recognition cues, 375
reproductive isolation, 375
synergy,
B. sphaericus, 935
B. t. subsp. *israelensis*, 935
resistance management, 935
synthetic repellent,
bioassay, 726

natural repellent, 726
personal protection, 726

T

taxis,
ectoparasite, 865
host seeking, 865
orientation, 865
Ornithonyssus sylviarum, 865
taxonomy, 1, 833
Colombia, 1, 833
leishmaniasis, 1
Lutzomyia emberai n. sp., 1, 833
Lutzomyia verrucarum group, 1
Phlebotominae, 1, 833
Taylor's power law,
malaria, 1001
mosquito, 1001
spatial distribution, 1001
temperature,
Culex quinquefasciatus, 1157
Hawaii, 1157
population model, 1157
rainfall, 1157
terminalia,
Dermatobia hominis, 552
pheromones, 552
sensilla, 552
ultrastructure, 552
Thailand, 231, 657
Aedes aegypti, 231
Aedes albopictus, 657
age-grading, 231
cuticular hydrocarbons, 231
dengue, 231
dengue vector, 657
isozymes, 657
mortality, 231
thresholds,
Aedes aegypti, 1123
container productivity, 1123
dengue fever, 1123
tick biocontrol,
Beauveria bassiana, 705
entomopathogenic fungi, 705
Metarhizium anisopliae, 705
tick control, 65, 922, 942
acaricide, 65, 942
biological control, 922
blacklegged tick, 922
entomopathogenic fungus, 922
Lyme disease, 922
medicated bait, 65, 942
pharmacokinetics, 65, 942
tick density, 162, 861
Borrelia burgdorferi sensu lato, 162
climate, 162
Ixodes ricinus, 162
Ixodes scapularis, 861
phenology, 162
Rhode Island, 861
spatial autocorrelation, 861
tick-borne encephalitis,
Ixodes ricinus ticks, 1064
lemon eucalyptus extract, 1064
Lyme borreliosis, 1064
repellents, 1064
tick-borne encephalitis virus,
Karshi virus, 973
mosquitoes, 973
Ornithodoros, 973
vector competency, 973
ticks, 324, 533, 768, 842, 1171
Amblyomma americanum, 1171
Amblyomma aureolatum, 324
Amblyomma longirostre, 533
Borrelia burgdorferi, 768
Brazil, 324, 533
California, 768
cellular automata, 842
dispersal, 842
home range, 842
Ixodes pacificus, 768
life cycle, 324
Lyme disease, 768
mice, 1171
Mus musculus, 1171
resistance, 1171
Rickettsia, 533
Rondonia, 533
seasonal dynamics, 324
spatial model, 842
Tillandsia xerographica,
Guatemala, 321
habitat, 321
semiarid region, 321
Triatoma ryckmani, 321
tissue tropism,
endosymbiont, 677
mosquito, 677
Wolbachia, 677
toxicity,
Anopheles stephensi, 691
development inhibition, 691
piperitenone oxide, 691
repellency, 691
Toxorhynchites splendens,
salivary gland, 569
sodium dodecyl sulfate-polyacrylamide gel electrophoresis, 569
ultrastructure, 569
tracheae,
arbovirus, 467
basal lamina, 467
midgut, 467
mosquito, 467
traditional morphometry,
interspecific differences, 296
intraspecific variation, 296
Triatoma dimidiata, 296
transgenic,
classification, 255
mosquito, 255
Wolbachia, 255
wsp, 255
transgenic insects, 447, 1027
Anopheles gambiae, 447
cecropin, 447
genetic control, 1027
malaria, 447
Plasmodium, 447
population replacement, 1027
selection, 1027
sex ratio, 1027
transmission, 95, 965
Aedes aegypti, 95
AR339, 95
Culex tarsalis, 965
house finch, 965
mourning dove, 965
MRE16, 95
Sindbis, 95
St. Louis encephalitis virus, 965
transmission dynamics,
Anopheline vectors, 158
Bioko, 158
Equatorial Guinea, 158
malaria, 158
traps,
Anopheles, 151
malaria, 151
Plasmodium, 151
surveillance, 151
Triatoma,
Mexico, 484
Phyllosoma complex, 484
rock piles, 484
sylvatic ecotopes, 484
Triatoma dimidiata, 296, 882
Guatemala, 882
interspecific differences, 296
intraspecific variation, 296
population genetics, 882
random amplification of polymorphic DNA-polymerase chain reaction, 882
sylvan, 882
traditional morphometry, 296
Triatoma infestans,
geometric morphometry, 643
isometric size, 643
population structure, 643
shape, 643
Triatoma longipennis,
feeding patterns, 1015
Mexico, 1015

peridomestic habitat, 1015
Triatoma pallidipennis,
Chagas disease, 760
risk factor analysis, 760
triatomine, 760
vector ecology, 760
Triatoma ryckmani,
Guatemala, 321
habitat, 321
semiarid region, 321
Tillandsia xerographica, 321
Triatominae, 614, 1010
Chagas', 1010
Chagas' disease, 614
development cycle, 1010
disease, 1010
flight, 614
light trap, 614
Panstrongylus rufotuberculatus, 1010
Trypanosoma cruzi, 1010
vector ecology, 614
triatomine,
Chagas disease, 760
risk factor analysis, 760
Triatoma pallidipennis, 760
vector ecology, 760
Trypanosoma cruzi,
Chagas', 1010
development cycle, 1010
disease, 1010
Panstrongylus rufotuberculatus, 1010
Triatominae, 1010
tsetse control,
Glossina spp., 814
insecticide, 814
spinosad, 814
susceptibility, 814
tumor necrosis factor-α,
dendritic cells, 69
interleukin-6, 69
interleukin-8, 69
mononuclear cells, 69
Turkey Point,
Borrelia burgdorferi, 226
Ixodes scapularis, 226
Lyme disease, 226
Ontario, 226

U

ultrastructure, 545, 552, 569, 1073
Amazon, 1073
Amblyomma, 1073
antenna, 545
Brazil, 1073
Cochliomyia hominivorax, 545
Dermatobia hominis, 552
olfactory sensilla, 545
pheromones, 552
Rickettsia, 1073
salivary gland, 569
screwworm myiasis, 545
sensilla, 552
sodium dodecyl sulfate-polyacrylamide gel electrophoresis, 569
terminalia, 552
Toxorhynchites splendens, 569
urban habitat,
carrion decomposition, 511
Chrysomya albiceps, 511
forensic entomology, 511
insect succession, 511
postmortem interval, 511

V

VecTest wicking assay,
in situ enzyme immunoassay, 539
reverse transcription-polymerase chain reaction, 539
St. Louis encephalitis virus, 539
West Nile virus, 539
vector competence, 78, 961
Aedes albopictus, 961
black fly, 78
clinical disease, 78
dengue virus, 961
insect transmission, 78
longevity, 961
Simuliidae, 78
vesicular stomatitis, 78
vector competency,
Karshi virus, 973
mosquitoes, 973
Ornithodoros, 973
tick-borne encephalitis virus, 973
vector control,
deer density, 779
Ixodes scapularis, 779
Lyme disease, 779
white-tailed deer, 779
vector control strategy,
DEET, 914
impregnated cloth, 914
permethrin, 914
vector ecology, 33, 614, 760
American Cutaneous Leishmaniasis, 33
Argentina, 33
Chagas' disease, 614
Chagas disease, 760
flight, 614
light trap, 614
Lutzomyia, 33
risk factor analysis, 760
seasonal abundance, 33
Triatoma pallidipennis, 760
Triatominae, 614
triatomine, 760
vector survival,
Anaplasma phagocytophilum, 476
coadaptation, 476
Ixodes scapularis, 476
vectors, 115, 607, 987, 1143
abundance, 1143
adaptation, 987
Australia, 115
Barmah Forest virus, 115
genetic algorithm, 607
kriging, 1143
model, 607
mosquito, 987, 1143
Queensland, 115
Ross River virus, 115
spatial, 607
spatial statistics, 1143
susceptibility, 987
Venezuelan equine encephalitis virus, 987
Venezuelan equine encephalitis,
cladistics, 575
Culicidae, 575
internal transcribed spacer 2, 575
phylogeny, 575
Venezuelan equine encephalitis virus,
adaptation, 987
mosquito, 987
susceptibility, 987
vector, 987
vesicular stomatitis,
black fly, 78
clinical disease, 78
insect transmission, 78
Simuliidae, 78
vector competence, 78
visceral leishmaniasis,
canine leishmaniasis, 774
emerging infectious disease, 774
kala-azar, 774
Lutzomyia vexator, 774

W

West Nile virus, 179, 539, 650, 731
18S rRNA, 731
arbovirus, 731
density dependence, 179, 650
in situ enzyme immunoassay, 539
landscape ecology, 179
larval habitat, 179, 650
mosquito, 731

mosquito oviposition, 179
population regulation, 650
reverse transcriptase-polymerase chain reaction, 731
reverse transcription-polymerase chain reaction, 539
St. Louis encephalitis virus, 539
VecTest wicking assay, 539
western equine encephalomyelitis,
chronic infections, 978
house finches, 978
overwintering, 978
St. Louis encephalitis, 978
western equine encephalomyelitis virus, 462, 982
Culex tarsalis, 982
fitness, 982
host competence, 462
life table, 982
mourning dove, 462
overwintering, 462
St. Louis encephalitis virus, 462
survivorship, 982
white-tailed deer,
deer density, 779
Ixodes scapularis, 779
Lyme disease, 779
vector control, 779
wild birds,
Alphaviruses, 1090
New York, 1090
Wolbachia, 255, 677, 894, 1175
Cimicidae, 1175
classification, 255, 1175
endosymbiont, 677
mosquito, 255, 677
mutualism, 894
phylogenetics, 1175
population replacement, 894
speciation, 894
symbiosis, 894, 1175
tissue tropism, 677
transgenic, 255
wsp, 255
wsp,
classification, 255
mosquito, 255
transgenic, 255
Wolbachia, 255

X

xanthommatin,
3-hydroxykynurenine, 385
Culex pipiens, 385
eye color mutant, 385
ommochrome, 385